



ERIC GIBSON
DIRECTOR

County of San Diego

DEPARTMENT OF PLANNING AND LAND USE

5201 RUFFIN ROAD, SUITE B, SAN DIEGO, CALIFORNIA 92123-1666
INFORMATION (858) 694-2960
TOLL FREE (800) 411-0017
www.sdcounty.ca.gov/dplu

March 25, 2010

CEQA Initial Study - Environmental Checklist Form (Based on the State CEQA Guidelines, Appendix G Rev. 10/04)

1. Project Numbers/Environmental Log Number/Title:

TM 5535 / ER 07-09-005 / Village Walk Townhomes (14-Unit)
2. Lead agency name and address:
County of San Diego, Department of Planning and Land Use
5201 Ruffin Road, Suite B,
San Diego, CA 92123-1666
3.
 - a. Contact Valerie Walsh, Project Manager
 - b. Phone number: (858) 694-2069
 - c. E-mail: valerie.walsh@sdcounty.ca.gov.
4. Project location:

The corner of La Brea and Pala Streets, Ramona, California 92065

Thomas Brothers Coordinates: Page 1152, Grid G/1
5. Project Applicant name and address:

Steve Powell, P.O. Box 823, Ramona, CA 92065
6. General Plan Designation
Community Plan: Ramona Community Plan
Land Use Designation: 13
Density: n/a

7. Zoning
 Use Regulation: C34
 Minimum Lot Size: 6,000 square feet
 Special Area Regulation: B, D3, Por F
8. Description of project :
 This is a request to develop approximately 1.31 net acres into 14 detached, 2 story townhomes that are approximately 1,764 square feet. The project site is located at the intersection of La Brea and Pala Street, approximately 700 feet north of Main Street in the Ramona Community Planning Area, within unincorporated San Diego County. The site is subject to the General Plan Regional Category of a Current Urban Development Area (CUDA), Land Use Designation (13) General Commercial. Zoning for the site is C34 General Commercial/Residential Use Regulation. The site is currently undeveloped. Proposed access to the site would be via a private driveway accessing La Brea and Robertson Street. The project also proposes offsite road, curb, and gutter improvements equivalent to 0.35-acre. The project would be served by the Ramona Fire Department, Ramona Municipal Water District, and the Ramona Unified School District. A 10-inch water main, approximately 540 feet, will extend into the site from the corner of La Brea and Pala Streets along Pala and Robertson Street. Earthwork will consist of approximately 1,150 cubic yards of total grading material.
9. Surrounding land uses and setting:
 Lands surrounding the project site are used for commercial, single-family and multi-family residential, and undeveloped. The topography of the project site and adjacent land is 1,410 to 1,420 feet above mean sea level. The site is located two blocks north of Main Street, in the Community of Ramona.
10. Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement):

<u>Permit Type/Action</u>	<u>Agency</u>
Site Plan	County of San Diego
Tentative Map	County of San Diego
County Right-of-Way Permits Construction Permit Excavation Permit Encroachment Permit	County of San Diego
Grading Permit	County of San Diego
Improvement Plans	County of San Diego
National Pollutant Discharge Elimination System (NPDES) Permit	RWQCB
General Construction Storm water Permit	RWQCB

<u>Permit Type/Action</u>	<u>Agency</u>
Water District Approval	Ramona Water District
Sewer District Approval	Ramona Sewer District
Fire District Approval	Ramona Fire Protection District


ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED: The environmental factors checked below would be potentially affected by this project and involve at least one impact that is a "Potentially Significant Impact" or a "Less Than Significant With Mitigation Incorporated," as indicated by the checklist on the following pages.

- | | | |
|--|--|--|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Agricultural Resources | <input type="checkbox"/> Air Quality |
| <input checked="" type="checkbox"/> Biological Resources | <input type="checkbox"/> Cultural Resources | <input type="checkbox"/> Geology & Soils |
| <input type="checkbox"/> Hazards & Haz. Materials | <input type="checkbox"/> Hydrology & Water Quality | <input type="checkbox"/> Land Use & Planning |
| <input type="checkbox"/> Mineral Resources | <input type="checkbox"/> Noise | <input type="checkbox"/> Population & Housing |
| <input type="checkbox"/> Public Services | <input type="checkbox"/> Recreation | <input checked="" type="checkbox"/> Transportation/Traffic |
| <input type="checkbox"/> Utilities & Service Systems | <input checked="" type="checkbox"/> Mandatory Findings of Significance | |

DETERMINATION: (To be completed by the Lead Agency)

On the basis of this initial evaluation:

- ☐ On the basis of this Initial Study, the Department of Planning and Land Use finds that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- ☒ On the basis of this Initial Study, the Department of Planning and Land Use finds that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- ☐ On the basis of this Initial Study, the Department of Planning and Land Use finds that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.



Signature

Valerie Walsh
Printed Name

March 25, 2010

Date

Land Use/Environmental Planner
Title

INSTRUCTIONS ON EVALUATION OF ENVIRONMENTAL IMPACTS

1. A brief explanation is required for all answers except “No Impact” answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A “No Impact” answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g., the project falls outside a fault rupture zone). A “No Impact” answer should be explained where it is based on project-specific factors as well as general standards (e.g., the project will not expose sensitive receptors to pollutants, based on a project-specific screening analysis).
2. All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
3. Once the lead agency has determined that a particular physical impact may occur, then the checklist answers must indicate whether the impact is potentially significant, Less Than Significant With Mitigation Incorporated, or less than significant. “Potentially Significant Impact” is appropriate if there is substantial evidence that an effect may be significant. If there are one or more “Potentially Significant Impact” entries when the determination is made, an EIR is required.
4. “Potential Significant Unless Mitigation Incorporated” applies where the incorporation of mitigation measures has reduced an effect from “Potentially Significant Impact” to a “Less Than Significant Impact.” The lead agency must describe the mitigation measures, and briefly explain how they reduce the effect to a less than significant level.
5. Earlier analyses may be used where, pursuant to the tiering, program EIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR or negative declaration. Section 15063(c)(3)(D). In this case, a brief discussion should identify the following:
 - a) Earlier Analysis Used. Identify and state where they are available for review.
 - b) Impacts Adequately Addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
 - c) Mitigation Measures. For effects that are “Less Than Significant With Mitigation Incorporated,” describe the mitigation measures that were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.
6. Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated.
7. The explanation of each issue should identify:
 - a) The significance criteria or threshold, if any, used to evaluate each question; and
 - b) The mitigation measure identified, if any, to reduce the impact to less than significance

I. AESTHETICS -- Would the project:

a) Have a substantial adverse effect on a scenic vista?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

A vista is a view from a particular location or composite views along a roadway or trail. Scenic vistas often refer to views of natural lands, but may also be compositions of natural and developed areas, or even entirely of developed and unnatural areas, such as a scenic vista of a rural town and surrounding agricultural lands. What is scenic to one person may not be scenic to another, so the assessment of what constitutes a scenic vista must consider the perceptions of a variety of viewer groups.

The items that can be seen within a vista are visual resources. Adverse impacts to individual visual resources or the addition of structures or developed areas may or may not adversely affect the vista. Determining the level of impact to a scenic vista requires analyzing the changes to the vista as a whole and also to individual visual resources.

No Impact: Scenic vistas are singular vantage points that offer unobstructed views of valued viewsheds, including areas designated as official scenic vistas along major highways or County designated visual resources. Based on a site visit completed by Valerie Walsh on July 5, 2007 the proposed project is not located near or visible from a scenic vista and will not change the composition of an existing scenic vista. The project site is located at the intersection of La Brea and Pala Street, two blocks north of Main Street (State Route 67) in the Community of Ramona, and is not located near any scenic vistas. A commercial center is located along the frontage of Main Street and obstructs views from Main Street to the property site. Therefore, the proposed project will not have any substantial adverse effect on a scenic vista.

The project will not result in cumulative impacts on a scenic vista because the proposed project viewshed and past, present and future projects within that viewshed were evaluated to determine their cumulative effects. Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered. Those projects listed in Section XVII are located within the scenic vista's viewshed and will not contribute to a cumulative impact because: the project is compatible with the current zoning and general plan designations, the project proposes housing adjacent to commercial use properties, and is surrounded by a mixture of single-family and multi-family residential uses. Therefore, the project will not result in adverse project or cumulative impacts on a scenic vista.

b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
|---|---|

- ☐ Less Than Significant With Mitigation Incorporated ☒ No Impact

Discussion/Explanation:

State scenic highways refer to those highways that are officially designated by the California Department of Transportation (Caltrans) as scenic ([Caltrans - California Scenic Highway Program](#)). Generally, the area defined within a State scenic highway is the land adjacent to and visible from the vehicular right-of-way. The dimension of a scenic highway is usually identified using a motorist's line of vision, but a reasonable boundary is selected when the view extends to the distant horizon. The scenic highway corridor extends to the visual limits of the landscape abutting the scenic highway.

No Impact: State scenic highways refer to those highways that are officially designated. A scenic highway is officially designated as a State scenic highway when the local jurisdiction adopts a scenic corridor protection program, applies to the California Department of Transportation for scenic highway approval, and receives notification from Caltrans that the highway has been designated as an official Scenic Highway. Based on a site visit completed by Valerie Walsh on July 5, 2007 the proposed project is not located near or visible within the same composite viewshed as a State scenic highway and will not change the visual composition of an existing scenic resource within a State scenic highway. Generally, the area defined within a State scenic highway is the land adjacent to and visible from the vehicular right-of-way. The dimension of a scenic highway is usually identified using a motorist's line of vision, but a reasonable boundary is selected when the view extends to the distant horizon. The project site is located at the intersection of La Brea and Pala Street, two blocks north of Main Street (State Route 67) in the Community of Ramona. A commercial center is located along the frontage of Main Street and obstructs views from Main Street to the property site. Therefore, the proposed project will not have any substantial adverse effect on a scenic resource within a State scenic highway.

- c) Substantially degrade the existing visual character or quality of the site and its surroundings?

- ☐ Potentially Significant Impact ☒ Less than Significant Impact
☐ Less Than Significant With Mitigation Incorporated ☐ No Impact

Discussion/Explanation:

Less Than Significant Impact: Visual character is the objective composition of the visible landscape within a viewshed. Visual character is based on the organization of the pattern elements line, form, color, and texture. Visual character is commonly discussed in terms of dominance, scale, diversity and continuity. Visual quality is the viewer's perception of the visual environment and varies based on exposure, sensitivity and expectation of the viewers.

The existing visual character and quality of the project site and surrounding area can be characterized as a mixture of commercial, single-family and multi-family residential uses, and undeveloped areas. The project proposes 14 condominium units located on 1.31 net acres that is located between commercial development to the southeast, undeveloped land to the north and east, and residential uses to the west and east. Multi-family dwellings are located northeast of the property on the opposite side of the Day Street. The project is compatible with the existing visual environment's visual character and quality for the following reasons: the project is compatible with the current zoning and general plan designations, provides housing adjacent to commercial use properties that, and is surrounded by a mixture of single-family and multi-family residential uses. The proposed 14-unit detached townhomes will be smaller in dominance and scale when compared with the commercial center across La Brea Street and the multi-family dwellings located on the opposite of Day Street. However the townhomes will be larger in dominance and scale when compared with the single-family homes to the west and east and undeveloped lands to the north and east. Therefore the proposed 14-unit detached townhomes will provide a use that is a combination of the existing diverse landscape that is located off of Ramona Main Street.

The project will not result in cumulative impacts on visual character or quality because the entire existing viewshed and a list of past, present and future projects within that viewshed were evaluated. Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered. Those projects listed in Section XVII are located within the viewshed surrounding the project and will not contribute to a cumulative impact for the following reasons: the project is compatible with the current zoning and general plan designations, proposes higher density housing adjacent to commercial use properties, and is surrounded by a mixture of single-family and multi-family residential uses. Therefore, the project will not result in any adverse project or cumulative level effect on visual character or quality on-site or in the surrounding area.

d) Create a new source of substantial light or glare, which would adversely affect day or nighttime views in the area?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project will use outdoor lighting and is located within Zone B. However, it will not adversely affect nighttime views or astronomical observations, because the project will conform to the Light Pollution Code (Section 59.101-59.115), including the Zone B lamp type and shielding requirements per fixture and hours of operation limitations for outdoor lighting and searchlights.

The project will not contribute to significant cumulative impacts on day or nighttime views because the project will conform to the Light Pollution Code. The Code was developed by the San Diego County Department of Planning and Land Use and

Department of Public Works in cooperation with lighting engineers, astronomers, land use planners from San Diego Gas and Electric, Palomar and Mount Laguna observatories, and local community planning and sponsor groups to effectively address and minimize the impact of new sources light pollution on nighttime views. The standards in the Code are the result of this collaborative effort and establish an acceptable level for new lighting. Compliance with the Code is required prior to issuance of any building permit for any project. Mandatory compliance for all new building permits ensures that this project in combination with all past, present and future projects will not contribute to a cumulatively considerable impact. Therefore, compliance with the Code ensures that the project will not create a significant new source of substantial light or glare, which would adversely affect daytime or nighttime views in the area, on a project or cumulative level.

II. AGRICULTURAL RESOURCES -- Would the project:

- a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide or Local Importance (Important Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, or other agricultural resources, to non-agricultural use?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site does not contain any agricultural resources, lands designated as Prime Farmland, Unique Farmland, or Farmland of Statewide or Local Importance as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency. Therefore, no agricultural resources including Prime Farmland, Unique Farmland, or Farmland of Statewide or Local Importance will be converted to a non-agricultural use.

- b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site is zoned C34 – General Commercial, which is not considered to be an agricultural zone. Additionally, the project site's land is not under a Williamson Act Contract. Therefore, the project does not conflict with existing zoning for agricultural use, or a Williamson Act Contract.

- c) Involve other changes in the existing environment, which, due to their location or nature, could result in conversion of Important Farmland or other agricultural resources, to non-agricultural use?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site and surrounding area within a radius of 1/4 mile does not contain any active agricultural operations or lands designated as Prime Farmland, Unique Farmland, or Farmland of Statewide or Local Importance as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency. Therefore, no Prime Farmland, Unique Farmland, Farmland of Statewide or Local Importance, or active agricultural operations will be converted to a non-agricultural use.

III. AIR QUALITY -- Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations. Would the project:

- a) Conflict with or obstruct implementation of the San Diego Regional Air Quality Strategy (RAQS) or applicable portions of the State Implementation Plan (SIP)?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact:

The project proposes development that was anticipated in SANDAG growth projections used in development of the RAQS and SIP. Operation of the project will result in emissions of ozone precursors that were considered as a part of the RAQS based on growth projections. As such, the proposed project is not expected to conflict with either the RAQS or the SIP. In addition, the operational emissions from the project are below the screening levels, and subsequently will not violate ambient air quality standards.

- b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

In general, air quality impacts from land use projects are the result of emissions from motor vehicles, and from short-term construction activities associated with such projects. The San Diego County Land Use Environment Group (LUEG) has established guidelines for determining significance which incorporate the Air Pollution Control District's (SDAPCD) established screening-level criteria for all new source review (NSR) in APCD Rule 20.2. These screening-level criteria can be used as numeric methods to demonstrate that a project's total emissions (e.g. stationary and fugitive emissions, as well as emissions from mobile sources) would not result in a significant impact to air quality. Since APCD does not have screening-level criteria for emissions of volatile organic compounds (VOCs), the use of the screening level for reactive organic compounds (ROC) from the South Coast Air Quality Management District (SCAQMD) for the Coachella Valley (which are more appropriate for the San Diego Air Basin) are used.

Less Than Significant Impact:

The project proposes a residential subdivision for a 14-unit condominium development. Grading activities will have a volume of cut in the amount of 1,150 cubic yards, a volume of fill in the amount of 1,150 cubic yards. The total acreage to be graded for construction is approximately 1.83 gross acres. Grading operations associated with the construction of the project would be subject to County of San Diego Grading Ordinance, which requires the implementation of dust control measures. Emissions from the construction phase would be minimal and localized, resulting in pollutant emissions below the screening-level criteria established by SDAPCD Rule 20.2 and by the South Coast Air Quality Management District (SCAQMD) CEQA Air Quality Handbook section 6.2 and 6.3. In addition, the vehicle trips generated from the project will result in 112 Average Daily Trips (ADTs). According to the Bay Area Air Quality Management District CEQA Guidelines for Assessing the Air Quality Impacts of Projects and Plans, projects that generate less than 2,000 ADT are below the Screening-Level Criteria established by SDAPCD Rule 20.2 and by the SCAQMD CEQA Air Quality Handbook section 6.2 and 6.3 for criteria pollutants. As such, the project will not violate any air quality standard or contribute substantially to an existing or projected air quality violation.

- c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

San Diego County is presently in non-attainment for the 1-hour concentrations under the California Ambient Air Quality Standard (CAAQS) for Ozone (O₃). San Diego

County is also presently in non-attainment for the annual geometric mean and for the 24-hour concentrations of Particulate Matter less than or equal to 10 microns (PM₁₀) under the CAAQS. O₃ is formed when volatile organic compounds (VOCs) and nitrogen oxides (NO_x) react in the presence of sunlight. VOC sources include any source that burns fuels (e.g., gasoline, natural gas, wood, oil); solvents; petroleum processing and storage; and pesticides. Sources of PM₁₀ in both urban and rural areas include: motor vehicles, wood burning stoves and fireplaces, dust from construction, landfills, agriculture, wildfires, brush/waste burning, and industrial sources of windblown dust from open lands.

Less Than Significant Impact: Air quality emissions associated with the project include emissions of PM₁₀, NO_x and VOCs from construction/grading activities, and also as the result of increase of traffic from project implementation. However, grading operations associated with the construction of the project would be subject to County of San Diego Grading Ordinance, which requires the implementation of dust control measures. Emissions from the construction phase would be minimal, localized and temporary resulting in PM₁₀ and VOC emissions below the screening-level criteria established by the LUEG guidelines for determining significance. The vehicle trips generated from the project will result in 112 Average Daily Trips (ADTs). According to the Bay Area Air Quality Management District CEQA Guidelines for Assessing the Air Quality Impacts of Projects and Plans, projects that generate less than 2,000 ADT are below the screening-level criteria established by the LUEG guidelines for determining significance.

In addition, a list of past, present and future projects within the surrounding area were evaluated and none of these projects emit significant amounts of criteria pollutants. Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered. The proposed project as well as the past, present and future projects within the surrounding area, have emissions below the screening-level criteria established by the LUEG guidelines for determining significance, therefore, the construction and operational emissions associated with the proposed project are not expected to create a cumulatively considerable impact nor a considerable net increase of PM₁₀, or any O₃ precursors.

d) Expose sensitive receptors to substantial pollutant concentrations?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Air quality regulators typically define sensitive receptors as schools (Preschool-12th Grade), hospitals, resident care facilities, or day-care centers, or other facilities that may house individuals with health conditions that would be adversely impacted by changes in air quality. The County of San Diego also considers residences as sensitive receptors since they house children and the elderly.

Less Than Significant Impact:

Based a site visit conducted by Valerie Walsh on June 5, 2007, no sensitive receptors have been identified within a quarter-mile (the radius determined by the SCAQMD in which the dilution of pollutants is typically significant) occur of the proposed project. Further, the proposed project will not generate significant levels of air pollutants. As such, the project will not expose sensitive populations to excessive levels of air pollutants.

e) Create objectionable odors affecting a substantial number of people?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project could produce objectionable odors, which would result from volatile organic compounds, ammonia, carbon dioxide, hydrogen sulfide, methane, alcohols, aldehydes, amines, carbonyls, esters, disulfides dust and endotoxins from the construction and operational phases. However, these substances, if present at all, would only be in trace amounts (less than $1 \mu\text{g}/\text{m}^3$). Subsequently, no significant air quality – odor impacts are expected to affect surrounding receptors. Moreover, the affects of objectionable odors are localized to the immediate surrounding area and will not contribute to a cumulatively considerable odor.

IV. BIOLOGICAL RESOURCES -- Would the project:

a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?

- | | |
|--|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input checked="" type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less than Significant with Mitigation Incorporated: Based on an analysis of the County's Geographic Information System (GIS) records, a site visit by Valerie Walsh in May 2007 and February 2009, and a Biological Resources Letter Report (HDR, January 2010), the site supports the following habitat types that will be impacted as a result of this project: 1.11 acres of non-native grassland, 0.28-acre of disturbed land, and 0.43-acre of developed land equivalent to approximate total of 1.82 acres (1.47 gross acres plus 0.35-acre offsite improvements). No sensitive plant species and one County

sensitive wildlife species was observed foraging onsite: western bluebird (*Sialia mexicana*).

In addition to the above mentioned surveys, a biological resource report for the Ramona Gardens Project (Vincent N. Scheidt, January 2000) had noted the presence of woolly marbles (*Psilocarphus* sp.), toad rush (*Juncus bufonis*), and loosestrife (*Lythrum hyssopifolium*) in the southeastern portion of the property, which are indicative of a vernal pool vegetation community. However, historical surveys conducted on October 6, 1998 (Impact Sciences, October 29, 1998), January 6, 2004 and May 27, 2004 (Ecological Ventures, June 7, 2004), March to July 2003 (TAIC and EDAW, January 2005), and December 6, 2006 and April 2, 2007 (HDR, January 2010) had negative detections of vernal pool plant species. In addition to the above mentioned surveys a soil sample was collected in the depression on the property site for a dry season fairy shrimp analysis with negative results for branchiopod cysts and San Diego fairy shrimp (*Branchinecta sandiegoensis*). Since no evidence of vernal pool plant species were observed on the property since 2000 and no fairy shrimp cyst were found during wet and dry season surveys it was determined that the site does not support a vernal pool plant community as a result of site condition changes due to surrounding development, changes in drainage patterns, and pollution from stormwater runoff.

Habitat assessments were also conducted for the federally endangered and state species of special concern arroyo southwestern toad (*Bufo californicus*), federally endangered and state threatened Stephens' kangaroo rat (*Dipodomys stephensi*), and state species of concern western burrowing owl (*Athene cunicularia hypugaeae*). No sensitive plants or animals (including those listed in the preceding sentence) were detected or expected to occur on the project site.

The 1.11 acre impact of non-native grassland will be mitigated offsite with native or non-native grassland equivalent to 0.55-acre in the Community of Ramona or the nearest available location. In addition, the project will be conditioned such that no brushing, clearing and/or grading will be allowed on the project site during the breeding season of migratory birds occurring between February 15th and August 31st.

County staff reviewed the past, present, and probable future projects as listed in Section XVII(b) and has determined that the cumulative loss of non-native grassland habitat may cause a significant impact on candidate, sensitive, or special status species. However, this project's contribution to 1.11 acres of the cumulative habitat loss will be less than cumulatively considerable because the project will mitigate for the 1.11 acres at a pre-determined ratio (0.5:1) equivalent to 0.55-acre of native or non-native grassland within the Community of Ramona. The offsite mitigation location will be located in biologically-viable and similar functioning habitat that contributes to the preservation of candidate, sensitive, or special status species

Therefore, staff has determined that although the project will impact 1.11 acres of non-native grassland, implementation of the mitigation measure described above will ensure that the project will not result in substantial adverse effect, or have a cumulatively considerable impact to these species.

- b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or US Fish and Wildlife Service?

- | | |
|--|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input checked="" type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less than Significant with Mitigation Incorporated: Project implementation will directly impact 1.11 acres of non-native grassland. Non-native grassland is considered a sensitive natural community within San Diego County. As detailed in response a) above, direct, indirect and cumulative impacts to sensitive natural communities identified in the County of San Diego Resource Protection Ordinance, MSCP, Fish and Game Code, and Endangered Species Act are considered less than significant through the implementation of offsite habitat acquisition.

- c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less than Significant Impact: Based on a site visit conducted by County staff (July 2007 and February 2009), and as supported by the Biological Letter Report dated January 2010 prepared by HDR Engineering, a slight depression was noted within the non-native grassland onsite. A biological resource report for the Ramona Gardens Project (Vincent N. Scheidt, January 2000) had noted the presence of woolly marbles (*Psilocarphus* sp.), toad rush (*Juncus bufonis*), and loosestrife (*Lythrum hyssopifolium*), which are indicative of a vernal pool vegetation community. However, historical surveys conducted in October 6, 1998 (Impact Sciences, October 29, 1998), January 6, 2004 and May 27, 2004 (Ecological Ventures, June 7, 2004), March to July 2003 (TAIC and EDAW, January 2005), and December 6, 2006 and April 2, 2007 (HDR, January 2010) had negative detections of vernal pool plant species. In addition to the above mentioned surveys a soil sample was collected in the depression on the property site for a dry season fairy shrimp analysis with negative results for branchiopod cysts and San Diego fairy shrimp. Since no evidence of vernal pool plant species were observed on the property since 2000 and no fairy shrimp cyst were found during wet and dry season surveys it was determined that the site does not support a vernal pool plant community.

as a result of site condition changes due to surrounding development, changes in drainage patterns, and pollution from stormwater runoff. Therefore, staff has determined that the proposed project site does not contain any wetlands as defined by Section 404 of the Clean Water Act, including, but not limited to, marsh, vernal pool, stream, lake, river or water of the U.S., that could potentially be impacted through direct removal, filling, hydrological interruption, diversion or obstruction by the proposed development. Therefore, no impacts will occur to wetlands defined by Section 404 of the Clean Water Act and under the jurisdiction of the Army Corps of Engineers.

- d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: Based on an analysis of the County's Geographic Information System (GIS) records, the County's Comprehensive Matrix of Sensitive Species, site photos, and a site visit, County staff has determined that the site has been completely disturbed by past legal land disturbances (area has historically been used for cattle grazing) and contains no native vegetation or habitats. In addition, the site is located within the town center of Ramona and is surrounded by development on the west, south, and east with no evidence of wildlife utilizing the site for movement, dispersal, or as a nursery. Therefore, the project would not interfere with the movement of any native resident or migratory fish or wildlife species, or established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites.

- e) Conflict with the provisions of any adopted Habitat Conservation Plan, Natural Communities Conservation Plan, other approved local, regional or state habitat conservation plan or any other local policies or ordinances that protect biological resources?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less than Significant Impact: The project is not subject to the County of San Diego Biological Mitigation Ordinance (BMO) because the project is not located within an approved Multiple Species Conservation Program (MSCP) and is located outside of the draft North County MSCP, pre-approved mitigation area (PAMA), nor does the site support coastal sage scrub habitat that is subject to the Habitat Loss Permit (HLP)

Ordinance. In addition, wetlands and sensitive habitat lands as defined by the County of San Diego's Resource Protection Ordinance (RPO) do not occur on the project site.

Refer to the attached Ordinance Compliance Checklist dated **March 25, 2010** for further information on consistency with any adopted Habitat Conservation Plan, Natural Communities Conservation Plan, other approved local, regional or state habitat conservation plan, including, Habitat Management Plans (HMP), Special Area Management Plans (SAMP), or any other local policies or ordinances that protect biological resources including the MSCP, BMO, RPO, HLP.

V. CULTURAL RESOURCES -- Would the project:

a) Cause a substantial adverse change in the significance of a historical resource as defined in 15064.5?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: Based on an analysis of County of San Diego archaeology resource files, archaeological records, maps, and aerial photographs by County of San Diego staff archaeologist, Gail Wright on June 28, 2007, it has been determined that the project site does not contain any historical resources. The property is currently vacant and graded. Therefore, the project would not result in impacts to historical resources.

b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to 15064.5?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: Based on an analysis of County of San Diego archaeology resource files, archaeological records, maps, and aerial photographs by County of San Diego staff archaeologist, Gail Wright, on June 28, 2007, it has been determined that the project site does not contain any archaeological resources. The 1.47-acre property is currently vacant and totally disturbed and surrounded on three sides by development. In addition, the project must comply with the San Diego County Grading, Clearing, and Watercourse Ordinance (§87.101-87.804), CEQA §15064.5(d), and §7050.5 of the Health & Safety Code. Section 87.429 of the Grading, Clearance, and Watercourse Ordinance requires the suspension of grading operations when human remains or Native American artifacts are encountered.

c) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: Unique Paleontological Resources - A review of the paleontological maps provided by the San Diego Museum of Natural History, combined with available data on San Diego County's geologic formations indicates that the project is located on geological formations that have low resource potential. Low resource potential is assigned to geologic formations that, based on their relative young age and/or high-energy depositional history, are judged unlikely to produce important fossil remains. Typically, low sensitivity formations produce invertebrate fossil remains in low abundance, which are not considered highly sensitive.

In addition, the project does not propose any grading that will exceed a cut depth of 10 feet. The minimum graded cut depth of 10 feet is the approximate depth at which bedrock is unweathered and is the depth at which unique paleontological resources can typically begin to be found. This excavation guideline is based on professional opinions of paleontological experts from the San Diego Natural History Museum and discussions with City and County of San Diego staff. Therefore, the project will not result in the permanent loss of significant paleontological information. Moreover, the project will not contribute to a cumulatively considerable loss of information, because all projects that exceed a cut depth of 10 feet and will disturb the unweathered bedrock in the areas with high or moderate resource potential are required to have a paleontological monitor present during grading operations.

Unique Geologic Features – The site does contain any unique geologic features that have been catalogued within the Conservation Element (Part X) of the County's General Plan or support any known geologic characteristics that have the potential to support unique geologic features. Additionally, based on a site visit by staff, no known unique geologic features were identified on the property or in the immediate vicinity.

d) Disturb any human remains, including those interred outside of formal cemeteries?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: Based on an analysis of County of San Diego archaeology resource files, archaeological records, maps, and aerial photographs by County of San Diego staff

archaeologist, Gail Wright, on June 28, 2007, it has been determined that the project will not disturb any human remains because the project site does not include a formal cemetery or any archaeological resources that might contain interred human remains. In addition, the project must comply with the San Diego County Grading, Clearing, and Watercourse Ordinance (§87.101-87.804), CEQA §15064.5(d), and §7050.5 of the Health & Safety Code. Section 87.429 of the Grading, Clearance, and Watercourse Ordinance requires the suspension of grading operations when human remains or Native American artifacts are encountered.

VI. GEOLOGY AND SOILS -- Would the project:

- a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:
- i. Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?
Refer to Division of Mines and Geology Special Publication 42.

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project is not located in a fault rupture hazard zone identified by the Alquist-Priolo Earthquake Fault Zoning Act, Special Publication 42, Revised 1997, Fault-Rupture Hazards Zones in California, or located within any other area with substantial evidence of a known fault. Therefore, there will be no impact from the exposure of people or structures to adverse effects from a known hazard zone as a result of this project.

- ii. Strong seismic ground shaking?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: To ensure the structural integrity of all buildings and structures, the project must conform to the Seismic Requirements as outlined within the California Building Code. The County Code requires a soils compaction report with proposed foundation recommendations to be approved before the issuance of a building permit. Therefore, compliance with the California Building Code and the County Code ensures the project will not result in a potentially significant impact from the exposure of people or structures to potential adverse effects from strong seismic ground shaking.

iii. Seismic-related ground failure, including liquefaction?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project site is located within a "Potential Liquefaction Area" as identified in the County Guidelines for Determining Significance for Geologic Hazards. However, the project will specify foundation designs to the satisfaction of the DPLU Building Division, which are adequate to preclude substantial damage to the proposed structures due to liquefaction. Therefore, there will be no potentially significant impact from the exposure of people or structures to adverse effects from a known area susceptible to ground failure, including liquefaction.

iv. Landslides?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site is not within a "Landslide Susceptibility Area" as identified in the County Guidelines for Determining Significance for Geologic Hazards. Landslide Susceptibility Areas were developed based on landslide risk profiles included in the *Multi-Jurisdictional Hazard Mitigation Plan, San Diego, CA* (URS, 2004). Landslide risk areas from this plan were based on data including steep slopes (greater than 25%); soil series data (SANDAG based on USGS 1970s series); soil-slip susceptibility from USGS; and Landslide Hazard Zone Maps (limited to western portion of the County) developed by the California Department of Conservation, Division of Mines and Geology (DMG). Also included within Landslide Susceptibility Areas are gabbroic soils on slopes steeper than 15% in grade because these soils are slide prone. Since the project is not located within an identified Landslide Susceptibility Area and the geologic environment has a low probability to become unstable, the project would have no impact from the exposure of people or structures to potential adverse effects from landslides.

b) Result in substantial soil erosion or the loss of topsoil?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: According to the Soil Survey of San Diego County, the soils on-site are identified as Fallbrook sandy loam 5-9 percent slopes eroded (FaC2) that has a soil erodibility rating of “moderate” as indicated by the Soil Survey for the San Diego Area, prepared by the US Department of Agriculture, Soil Conservation and Forest Service dated December 1973. However, the project will not result in substantial soil erosion or the loss of topsoil for the following reasons:

- The project will not result in unprotected erodible soils; will not alter existing drainage patterns; is not located in a floodplain, wetland, or significant drainage feature; and will not develop steep slopes.
- The project has prepared a Stormwater Management Plan dated **August 1, 2009**, prepared by Tri-Dimensional Engineering, Inc. The plan includes the following Best Management Practices to ensure sediment does not erode from the project site.

Construction BMPs: silt fence, fiber rolls, street sweeping and vacuuming, storm drain inlet protection, stockpile management, stabilized construction entrance/exit, dewatering operations, vehicle and equipment maintenance, desilting basin, gravel bag berm, sandbag barrier, material delivery and storage, spill prevention and control, concrete waste management, water conservation practices, and paving and grinding operations.

Treatment BMPs: Vegetated filter strip, infiltration trench, subsurface reservoir bed, and media filtration.

- The project involves grading. However, the project is required to comply with the San Diego County Code of Regulations, Title 8, Zoning and Land Use Regulations, Division 7, Sections 87.414 (DRAINAGE - EROSION PREVENTION) and 87.417 (PLANTING). Compliance with these regulations minimizes the potential for water and wind erosion.

Due to these factors, it has been found that the project will not result in substantial soil erosion or the loss of topsoil on a project level.

In addition, the project will not contribute to a cumulatively considerable impact because all the of past, present and future projects included on the list of projects that involve grading or land disturbance are required to follow the requirements of the San Diego County Code of Regulations, Title 8, Zoning and Land Use Regulations, Division 7, Sections 87.414 (DRAINAGE - EROSION PREVENTION) and 87.417 (PLANTING); Order 2001-01 (NPDES No. CAS 0108758), adopted by the San Diego Region RWQCB on February 21, 2001; County Watershed Protection, Storm Water Management, and Discharge Control Ordinance (WPO) (Ord. No. 9424); and County Storm water Standards Manual adopted on February 20, 2002, and amended January 10, 2003 (Ordinance No. 9426). Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered.

- c) Will the project produce unstable geological conditions that will result in adverse impacts resulting from landslides, lateral spreading, subsidence, liquefaction or collapse?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project is not located on or near geological formations that are unstable or would potentially become unstable as a result of the project. For further information refer to VI Geology and Soils, Question a., i-iv listed above.

- d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact:

The project does not contain expansive soils as defined by Table 18-I-B of the Uniform Building Code (1994). The soils on-site are Fallbrook sandy loam, 5 to 9 percent slopes, eroded. These soils have a shrink-swell behavior of low and represent no substantial risks to life or property.

Therefore, the project will not create a substantial risk to life or property. This was confirmed by staff review of the Soil Survey for the San Diego Area, prepared by the US Department of Agriculture, Soil Conservation and Forest Service dated December 1973.

- e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project will rely on public water and sewer for the disposal of wastewater. A service availability letter dated March 6, 2007 has been received from the Ramona Municipal Water District indicating that the facility has adequate capacity

for the projects wastewater disposal needs. No septic tanks or alternative wastewater disposal systems are proposed.

VII. HAZARDS AND HAZARDOUS MATERIALS -- Would the project:

- a) Create a significant hazard to the public or the environment through the routine transport, storage, use, or disposal of hazardous materials or wastes or through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project will not create a significant hazard to the public or the environment because it does not propose the storage, use, transport, emission, or disposal of Hazardous Substances, nor are Hazardous Substances proposed or currently in use in the immediate vicinity. In addition, the project does not propose to demolish any existing structures onsite and therefore would not create a hazard related to the release of asbestos, lead based paint or other hazardous materials from demolition activities.

- b) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project is not located within one-quarter mile of an existing or proposed school. Therefore, the project will not have any effect on an existing or proposed school.

- c) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5, or is otherwise known to have been subject to a release of hazardous substances and, as a result, would it create a significant hazard to the public or the environment?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: Based on a site visit and regulatory database search, the project site has not been subject to a release of hazardous substances. The project site is not included in any of the following lists or databases: the State of California Hazardous Waste and Substances sites list compiled pursuant to Government Code Section 65962.5., the San Diego County Hazardous Materials Establishment database, the San Diego County DEH Site Assessment and Mitigation (SAM) Case Listing, the Department of Toxic Substances Control (DTSC) Site Mitigation and Brownfields Reuse Program Database ("CalSites" Envirostor Database), the Resource Conservation and Recovery Information System (RCRIS) listing, the EPA's Superfund CERCLIS database or the EPA's National Priorities List (NPL). Additionally, the project does not propose structures for human occupancy or significant linear excavation within 1,000 feet of an open, abandoned, or closed landfill, is not located on or within 250 feet of the boundary of a parcel identified as containing burn ash (from the historic burning of trash), is not on or within 1,000 feet of a Formerly Used Defense Site (FUDS), does not contain a leaking Underground Storage Tank, and is not located on a site with the potential for contamination from historic uses such as intensive agriculture, industrial uses, a gas station or vehicle repair shop. Therefore, the project would not create a significant hazard to the public or environment.

- d) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact:

The project is located within the Airport Land Use Compatibility Plan (ALUCP) for the Ramona Airport. However, the project was reviewed by Tim Taylor, DPLU airport hazard specialist, and determined not to result in a significant impact with regard to airport safety or the safety of persons or property within the project site or surrounding lands, for the following reasons:

- The project has been determined to be conditionally compatible with the Land Use Compatibility Policies of the Ramona Airport ALUCP, including the applicable Safety Compatibility Policies and residential development criteria for Airport Safety Zone 4. This determination was made by the San Diego County Regional Airport Authority on April 2, 2009.
- The project complies with the Federal Aviation Administration (FAA) Runway Approach Protection Standards (Federal Aviation Regulations, Part 77 – Objects Affecting Navigable Airspace) because it does not propose:

1. construction of any structure of a height or location which would exceed an airspace threshold requiring an obstruction evaluation from the FAA.
2. any distracting visual hazards including but not limited to distracting lights, glare, sources of smoke or other obstacles or an electronic hazard that would interfere with aircraft instruments or radio communications. Therefore, the project
3. any artificial bird attractor, including but not limited to reservoirs, golf courses with water hazards, large detention and retention basins, wetlands, landscaping with water features, wildlife refuges, or agriculture (especially cereal grains).

Therefore, the project will not constitute a safety hazard for people residing or working in the project area.

- e) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project is not within one mile of a private airstrip. As a result, the project will not constitute a safety hazard for people residing or working in the vicinity of a private airstrip.

- f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

The following sections summarize the project's consistency with applicable emergency response plans or emergency evacuation plans.

- i. OPERATIONAL AREA EMERGENCY PLAN AND MULTI-JURISDICTIONAL HAZARD MITIGATION PLAN:

Less Than Significant Impact: The Operational Area Emergency Plan is a comprehensive emergency plan that defines responsibilities, establishes an emergency organization, defines lines of communications, and is designed to be part of the statewide Standardized Emergency Management System. The Operational Area

Emergency Plan provides guidance for emergency planning and requires subsequent plans to be established by each jurisdiction that has responsibilities in a disaster situation. The Multi-Jurisdictional Hazard Mitigation Plan includes an overview of the risk assessment process, identifies hazards present in the jurisdiction, hazard profiles, and vulnerability assessments. The plan also identifies goals, objectives and actions for each jurisdiction in the County of San Diego, including all cities and the County unincorporated areas. The project will not interfere with this plan because it will not prohibit subsequent plans from being established or prevent the goals and objectives of existing plans from being carried out.

ii. SAN DIEGO COUNTY NUCLEAR POWER STATION EMERGENCY RESPONSE PLAN

No Impact: The San Diego County Nuclear Power Station Emergency Response Plan will not be interfered with by the project due to the location of the project, plant and the specific requirements of the plan. The emergency plan for the San Onofre Nuclear Generating Station includes an emergency planning zone within a 10-mile radius. All land area within 10 miles of the plant is not within the jurisdiction of the unincorporated County and as such a project in the unincorporated area is not expected to interfere with any response or evacuation.

iii. OIL SPILL CONTINGENCY ELEMENT

No Impact: The Oil Spill Contingency Element will not be interfered with because the project is not located along the coastal zone or coastline.

iv. EMERGENCY WATER CONTINGENCIES ANNEX AND ENERGY SHORTAGE RESPONSE PLAN

No Impact: The Emergency Water Contingencies Annex and Energy Shortage Response Plan will not be interfered with because the project does not propose altering major water or energy supply infrastructure, such as the California Aqueduct.

v. DAM EVACUATION PLAN

No Impact: The Dam Evacuation Plan will not be interfered with because the project is not located within a dam inundation zone.

g) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project is adjacent to wildlands that have the potential to support wildland fires. However, the project will not expose people or structures to a significant risk of loss, injury or death involving wildland fires because the project will comply with the regulations relating to emergency access, water supply, and defensible space specified in the Consolidated Fire Code for the 17 Fire Protection Districts in San Diego County and Appendix II-A, as adopted and amended by the local fire protection district. Implementation of these fire safety standards will occur during the Tentative Map, or building permit process. Also, a Fire Service Availability Letter and conditions, dated January 29, 2009, have been received from the Ramona Fire Prevention Bureau. The conditions from the Ramona Fire Prevention Bureau include: private easement roadway graded width of 28-feet and improved width of 24-feet asphaltic concrete, one commercial fire hydrant, automatic gates equipped with emergency key-operated switches, and 100 feet of defensible space around all structures. The Fire Service Availability Letter indicates the expected emergency travel time to the project site to be 5 minutes. The Maximum Travel Time allowed pursuant to the County Public Facilities Element is 5 minutes. Therefore, based on the review of the project by County staff, through compliance with the Consolidated Fire Code and Appendix II-A and through compliance with the Ramona Fire Prevention Bureau conditions, the project is not anticipated to expose people or structures to a significant risk of loss, injury or death involving hazardous wildland fires. Moreover, the project will not contribute to a cumulatively considerable impact, because all past, present and future projects in the surrounding area are required to comply with the Consolidated Fire Code and Appendix II-A.

- h) Propose a use, or place residents adjacent to an existing or reasonably foreseeable use that would substantially increase current or future resident's exposure to vectors, including mosquitoes, rats or flies, which are capable of transmitting significant public health diseases or nuisances?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project does not involve or support uses that allow water to stand for a period of 72 hours (3 days) or more (e.g. artificial lakes, agricultural irrigation ponds). Also, the project does not involve or support uses that will produce or collect animal waste, such as equestrian facilities, agricultural operations (chicken coops, dairies etc.), solid waste facility or other similar uses. Moreover, based on a site visit conducted by Valerie Walsh on June 5, 2007 there are none of these uses on adjacent properties. Therefore, the project will not substantially increase current or future resident's exposure to vectors, including mosquitoes, rats or flies.

VIII. HYDROLOGY AND WATER QUALITY -- Would the project:

- a) Violate any waste discharge requirements?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes 14 condominium units located on a 1.31 net acres which requires a Waste Discharge Requirement Permit and NPDES General Permit for Discharges of Storm Water Associated with Construction Activities. The project applicant has provided a copy of a Storm Water Management Plan which demonstrates that the project will comply with all requirements of Waste Discharge Requirement Permit and NPDES General Permit for Discharges of Storm Water Associated with Construction Activities. The project site proposes and will be required to implement the following site design measures and/or source control BMPs and/or treatment control BMPs to reduce potential pollutants to the maximum extent practicable from entering storm water runoff: silt fence, fiber rolls, street sweeping and vacuuming, storm drain inlet protection, stockpile management, stabilized construction entrance/exit, dewatering operations, vehicle and equipment maintenance, desilting basin, gravel bag berm, sandbag barrier, material delivery and storage, spill prevention and control, concrete waste management, water conservation practices, and paving and grinding operations, vegetated filter strip, infiltration trench, subsurface reservoir bed, and media filtration. These measures will enable the project to meet waste discharge requirements as required by the Land-Use Planning for New Development and Redevelopment Component of the San Diego Municipal Permit (SDRWQCB Order No. 2001-01), as implemented by the San Diego County Jurisdictional Urban Runoff Management Program (JURMP) and Standard Urban Storm Water Mitigation Plan (SUSMP).

Finally, the project's conformance to the waste discharge requirements listed above ensures the project will not create cumulatively considerable water quality impacts related to waste discharge because, through the permit, the project will conform to Countywide watershed standards in the JURMP and SUSMP, derived from State regulation to address human health and water quality concerns. Therefore, the project will not contribute to a cumulatively considerable impact to water quality from waste discharges.

- b) Is the project tributary to an already impaired water body, as listed on the Clean Water Act Section 303(d) list? If so, could the project result in an increase in any pollutant for which the water body is already impaired?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project lies in the Ramona hydrologic subarea, within the San Dieguito hydrologic unit. According to the Clean Water Act Section 303(d) list, July 2003, a portion of this watershed at the Pacific Ocean and San Dieguito River is impaired for coliform bacteria. Constituents of concern in the San Dieguito watershed include coliform bacteria, nutrients, sediment, lowered dissolved oxygen, and trace metals.

The project proposes the following activities that are associated with these pollutants: construction (sediment), landscaping (nitrate and pesticides), and possibly pet waste (bacteria). However, the following site design measures and/or source control BMPs and/or treatment control BMPs will be employed such that potential pollutants will be reduced in any runoff to the maximum extent practicable so as not to increase the level of these pollutants in receiving waters: silt fence, fiber rolls, street sweeping and vacuuming, storm drain inlet protection, stockpile management, stabilized construction entrance/exit, dewatering operations, vehicle and equipment maintenance, desilting basin, gravel bag berm, sandbag barrier, material delivery and storage, spill prevention and control, concrete waste management, water conservation practices, and paving and grinding operations, vegetated filter strip, infiltration trench, subsurface reservoir bed, and media filtration.

The proposed BMPs are consistent with regional surface water and storm water planning and permitting process that has been established to improve the overall water quality in County watersheds. As a result the project will not contribute to a cumulative impact to an already impaired water body, as listed on the Clean Water Act Section 303(d). Regional surface water and storm water permitting regulation for County of San Diego, Incorporated Cities of San Diego County, and San Diego Unified Port District includes the following: Order 2001-01 (NPDES No. CAS 0108758), adopted by the San Diego Region RWQCB on February 21, 2001; County Watershed Protection, Storm Water Management, and Discharge Control Ordinance (WPO) (Ord. No. 9424); County Storm water Standards Manual adopted on February 20, 2002, and amended January 10, 2003 (Ordinance No. 9426). The stated purposes of these ordinances are to protect the health, safety and general welfare of the County of San Diego residents; to protect water resources and to improve water quality; to cause the use of management practices by the County and its citizens that will reduce the adverse effects of polluted runoff discharges on waters of the state; to secure benefits from the use of storm water as a resource; and to ensure the County is compliant with applicable state and federal laws. Ordinance No. 9424 (WPO) has discharge prohibitions, and requirements that vary depending on type of land use activity and location in the County. Ordinance No. 9426 is Appendix A of Ordinance No. 9424 (WPO) and sets out in more detail, by project category, what Dischargers must do to comply with the Ordinance and to receive permits for projects and activities that are subject to the Ordinance. Collectively, these regulations establish standards for projects to follow which intend to improve water quality from headwaters to the deltas of each watershed in the County. Each project subject to WPO is required to prepare a Storm water Management Plan that details a project's pollutant discharge contribution to a given watershed and propose BMPs or design measures to mitigate any impacts that may occur in the watershed.

- c) Could the proposed project cause or contribute to an exceedance of applicable surface or groundwater receiving water quality objectives or degradation of beneficial uses?

<input type="checkbox"/> Potentially Significant Impact	<input checked="" type="checkbox"/> Less than Significant Impact
<input type="checkbox"/> Less Than Significant With Mitigation Incorporated	<input type="checkbox"/> No Impact

Discussion/Explanation:

Less Than Significant Impact: The Regional Water Quality Control Board has designated water quality objectives for waters of the San Diego Region as outlined in Chapter 3 of the Water Quality Control Plan (Plan). The water quality objectives are necessary to protect the existing and potential beneficial uses of each hydrologic unit as described in Chapter 2 of the Plan.

The project lies in the Ramona hydrologic subarea, within the San Dieguito hydrologic unit that has the following existing and potential beneficial uses for inland surface waters, coastal waters, reservoirs and lakes, and ground water municipal and domestic supply; agricultural supply; industrial process supply, industrial service supply; contact water recreation; non-contact water recreation; warm freshwater habitat; cold freshwater habitat; wildlife habitat; estuarine habitat; marine habitat; preservation of biological habitats of special significance; migration of aquatic organisms; and, rare, threatened, or endangered species habitat.

The project proposes the following potential sources of polluted runoff: construction activities, equipment storage, maintenance activities, and handling areas. However, the following site design measures and/or source control BMPs and/or treatment control BMPs will be employed to reduce potential pollutants in runoff to the maximum extent practicable, such that the proposed project will not cause or contribute to an exceedance of applicable surface or groundwater receiving water quality objectives or degradation of beneficial uses: silt fence, fiber rolls, street sweeping and vacuuming, storm drain inlet protection, stockpile management, stabilized construction entrance/exit, dewatering operations, vehicle and equipment maintenance, desilting basin, gravel bag berm, sandbag barrier, material delivery and storage, spill prevention and control, concrete waste management, water conservation practices, and paving and grinding operations, vegetated filter strip, infiltration trench, subsurface reservoir bed, and media filtration.

In addition, the proposed BMPs are consistent with regional surface water, storm water and groundwater planning and permitting process that has been established to improve the overall water quality in County watersheds. As a result, the project will not contribute to a cumulatively considerable exceedance of applicable surface or groundwater receiving water quality objectives or degradation of beneficial uses. Refer to Section VIII., Hydrology and Water Quality, Question b, for more information on regional surface water and storm water planning and permitting process.

- d) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project will obtain its water supply from the Ramona Municipal Water District that obtains water from surface reservoirs or other imported water source. The project will not use any groundwater for any purpose, including irrigation, domestic or commercial demands. In addition, the project does not involve operations that would interfere substantially with groundwater recharge including, but not limited to the following: the project does not involve regional diversion of water to another groundwater basin; or diversion or channelization of a stream course or waterway with impervious layers, such as concrete lining or culverts, for substantial distances (e.g. ¼ mile). These activities and operations can substantially affect rates of groundwater recharge. Therefore, no impact to groundwater resources is anticipated.

- e) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on- or off-site?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes a 14-unit condominium project. As outlined in the Storm water Management Plan (SWMP) received January 22, 2010 and prepared by Tri-Dimensional Engineering, the project will implement site design, source control, and treatment control BMP's to reduce potential pollutants, including sediment from erosion or siltation, to the maximum extent practicable from entering storm water runoff. The measures will control erosion and sedimentation and satisfy waste discharge requirements as required by the Land-Use Planning for New Development and Redevelopment Component of the San Diego Municipal Permit (SDRWQCB Order No. 2001-01), as implemented by the San Diego County Jurisdictional Urban Runoff Management Program (JURMP) and Standard Urban Storm Water Mitigation Plan (SUSMP). The SWMP specifies and describes the implementation process of all BMP's that will address equipment operation and materials management, prevent the erosion process from occurring,

and prevent sedimentation in any onsite and downstream drainage swales. The Department of Public Works will ensure that the Plan is implemented as proposed. Due to these factors, it has been found that the project will not result in significantly increased erosion or sedimentation potential and will not alter any drainage patterns of the site or area on- or off-site. In addition, because erosion and sedimentation will be controlled within the boundaries of the project, the project will not contribute to a cumulatively considerable impact. For further information on soil erosion refer to VI., Geology and Soils, Question b.

- f) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project will not significantly alter established drainage patterns or significantly increase the amount of runoff for the following reasons, based on the CEQA Drainage Study prepared by Tri-Dimensional Engineering received January 22, 2010:

- a. Drainage will be conveyed to natural drainage channels and approved drainage facilities.
- b. The project will not significantly increase water surface elevation in a watercourse with a watershed.
- c. The project will not significantly increase surface runoff exiting the project site. Post development runoff rates and velocities will be limited to pre-development levels by means of proposed infiltration/retention trenches.

Therefore, the project will not substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site. Moreover, the project will not contribute to a cumulatively considerable alteration or a drainage pattern or increase in the rate or amount of runoff, because the project will not substantially increase water surface elevation or runoff exiting the site, as detailed above.

- g) Create or contribute runoff water which would exceed the capacity of existing or planned storm water drainage systems?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project does not propose to create or contribute runoff water that would exceed the capacity of existing or planned storm water drainage systems. Post development runoff rates and velocities will be limited to pre-development levels by means of proposed infiltration/retention trenches.

h) Provide substantial additional sources of polluted runoff?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes the following potential sources of polluted runoff: construction activities, equipment and materials, waste and handling areas, outdoor vehicles and equipment. However, the following site design measures and/or source control BMPs and/or treatment control BMPs will be employed such that potential pollutants will be reduced in runoff to the maximum extent practicable: silt fence, fiber rolls, street sweeping and vacuuming, storm drain inlet protection, stockpile management, stabilized construction entrance/exit, dewatering operations, vehicle and equipment maintenance, desilting basin, gravel bag berm, sandbag barrier, material delivery and storage, spill prevention and control, concrete waste management, water conservation practices, and paving and grinding operations, vegetated filter strip, infiltration trench, subsurface reservoir bed, and media filtration. Refer to VIII Hydrology and Water Quality Questions a, b, c, for further information.

i) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map, including County Floodplain Maps?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: No FEMA mapped floodplains, County-mapped floodplains or drainages with a watershed greater than 25 acres were identified on the project site (or off-site improvement locations); therefore, no impact will occur.

j) Place within a 100-year flood hazard area structures which would impede or redirect flood flows?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: No 100-year flood hazard areas were identified on the project site (or off-site improvement locations); therefore, no impact will occur.

- k) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project site lies outside any identified special flood hazard area. Therefore, the project will not expose people to a significant risk of loss, injury or death involving flooding.

- l) Inundation by seiche, tsunami, or mudflow?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

- i. SEICHE

No Impact: The project site is not located along the shoreline of a lake or reservoir; therefore, could not be inundated by a seiche.

- ii. TSUNAMI

No Impact: The project site is located more than a mile from the coast; therefore, in the event of a tsunami, would not be inundated.

- iii. MUDFLOW

No Impact: Mudflow is type of landslide. The site is not located within a landslide susceptibility zone. Also, staff geologist has determined that the geologic environment of the project area has a low probability to be located within an area of potential or pre-

existing conditions that could become unstable in the event of seismic activity. In addition, though the project does propose land disturbance that will expose unprotected soils, the project is not located downstream from unprotected, exposed soils within a landslide susceptibility zone. Therefore, it is not anticipated that the project will expose people or property to inundation due to a mudflow.

IX. LAND USE AND PLANNING -- Would the project:

a) Physically divide an established community?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project does not propose the introduction of new infrastructure such major roadways or water supply systems, or utilities to the area. Therefore, the proposed project will not significantly disrupt or divide the established community.

b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project is subject to the Regional Land Use Element Policy (1.1) Current Urban Development Area (CUDA) and General Plan Land Use Designation (13) General Commercial. The proposed project has a gross parcel size and density that are consistent with the General Plan. The project is subject to the policies of the Ramona Community Plan and proposes an appropriate residential land use and density located in the Ramona Town Center, where higher density residential uses are encouraged. The current zone is C34, which requires a net minimum lot size of 6,000 square feet. The proposed project is consistent with the Zoning Ordinance requirements for minimum lot size.

X. MINERAL RESOURCES -- Would the project:

a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
|---|--|

- ☐ Less Than Significant With Mitigation Incorporated ☐ No Impact

Discussion/Explanation:

Less Than Significant Impact: The project site has been classified by the California Department of Conservation – Division of Mines and Geology (Update of Mineral Land Classification: Aggregate Materials in the Western San Diego Production-Consumption Region, 1997) as an area of “Potential Mineral Resource Significance” (MRZ-3).

However, the project site is surrounded by densely developed land uses including commercial and residential development which are incompatible to future extraction of mineral resources on the project site. A future mining operation at the project site would likely create a significant impact to neighboring properties for issues such as noise, air quality, traffic, and possibly other impacts. Therefore, implementation of the project will not result in the loss of availability of a known mineral resource that would be of value since the mineral resource has already been lost due to incompatible land uses.

- b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?

- ☐ Potentially Significant Impact ☐ Less than Significant Impact
☐ Less Than Significant With Mitigation Incorporated ☒ No Impact

Discussion/Explanation:

No Impact: The project site is zoned C34, which is not considered to be an Extractive Use Zone (S-82) nor does it have an Impact Sensitive Land Use Designation (24) with an Extractive Land Use Overlay (25) (County Land Use Element, 2000).

Therefore, no potentially significant loss of availability of a known mineral resource of locally important mineral resource recovery (extraction) site delineated on a local general plan, specific plan or other land use plan will occur as a result of this project.

XI. NOISE -- Would the project result in:

- a) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?

- ☐ Potentially Significant Impact ☒ Less than Significant Impact
☐ Less Than Significant With Mitigation Incorporated ☐ No Impact

Discussion/Explanation:

Less Than Significant Impact: The project consists of the development of 14 detached residential condominiums and will be occupied by residential use. The project will not expose people to potentially significant noise levels that exceed the allowable limits of the County of San Diego General Plan, County of San Diego Noise Ordinance, and other applicable standards for the following reasons:

General Plan – Noise Element

The County of San Diego General Plan, Noise Element, Policy 4b addresses noise sensitive areas and requires an acoustical study to be prepared for any use that may expose noise sensitive areas to noise in excess of a Community Noise Equivalent Level (CNEL) of 60 decibels (dBA). Moreover, if the project is excess of CNEL 60 dB(A), modifications must be made to the project to reduce noise levels. Noise sensitive areas include residences, hospitals, schools, libraries or similar facilities where quiet is an important attribute. The closest Circulation Element roadway is Main Street and is located approximately 750 feet from the project site which is considered well distanced from this noise source. Based on GIS noise layers, Sandag 2030 Future Traffic Forecast, existing topography and site structures, future traffic noise levels to the project site will experience noise levels below the 60 dBA CNEL noise threshold. This is based on a review by County Noise Specialist Emmet Aquino on June 10, 2009. Therefore, the project will not expose people to potentially significant noise levels that exceed the allowable limits of the County of San Diego General Plan, Noise Element.

Ramona Community Plan

The County of San Diego General Plan, Ramona Community Plan, has a standard of CNEL 55 dB(A) for all projected noise contours near main circulation roadways, airports and other noise sources and requires mitigation if this level is exceeded. Project implementation is not expected to expose existing or planned noise sensitive areas to road, airport, heliport, railroad, industrial or other noise in excess of the CNEL 55 dB(A). The closest Circulation Element roadway is Main Street and is located approximately 750 feet from the project site which is considered well distanced from this noise source. Based on GIS noise layers, Sandag 2030 Future Traffic Forecast, existing topography and site structures, future traffic noise levels to the project site will experience noise levels below the 55 dBA CNEL noise threshold. This is based on a review by County Noise Specialist Emmet Aquino on June 10, 2009. Therefore, the project will not expose people to potentially significant noise levels that exceed the allowable limits of the County of San Diego General Plan, Ramona Community Plan.

Noise Ordinance – Section 36.404

Non-transportation noise generated by the project is not expected to exceed the standards of the County of San Diego Noise Ordinance (Section 36.404) at or beyond the project's property line. The project is zoned C34. Land uses to the northwest is zoned RS7 and uses to the southwest is zoned A70. Property line noise levels where there are two zoning districts are subject to the arithmetic mean of both zones pursuant to the County Noise Ordinance. The project will be subject to the most restrictive nighttime one-hour average of 50 dBA at the project property lines. The project proposes air conditioning units for each residential unit and these proposed units will consist of models specified within a tentatively approved noise report filed under TM

5509. Noise calculations associated with this detached condominium project will consist of a Comfortmaker N2H342AKA Air Conditioning Unit with a sound power level of 75 dBA. Based strictly on attenuation by distance and conservative noise calculations, this air conditioning unit will generate noise levels as high as 49.4 dBA at 20 feet. Based on the project site plans, proposed air conditioning units will be located at 20 feet or more from the project boundary line thus, demonstrating compliance with the County Noise Ordinance, Section 36.404.

Noise Ordinance – Section 36.409

The project will not generate construction noise that may exceed the standards of the County of San Diego Noise Ordinance (Section 36.409). The detached condominium project was also evaluated in regards to construction equipment activities. The project is subject to the construction equipment section within the County Noise Ordinance and must comply with the property line construction equipment section of 75 dBA at the property line. The operation of construction equipment is considered temporary and the project proposes all mass grading to be conducted in one phase. Completion of mass grading is anticipated to be completed in one month. Additionally, the project does not propose any impulsive type of construction equipment. Construction noise associated with the project will be less than significant and demonstrates compliance with the County Noise Ordinance construction equipment section. Construction operations will occur only during permitted hours of operation pursuant to Section 36.409. Therefore, it is not anticipated that the project will operate construction equipment in excess of an average sound level of 75dB between the hours of 7 AM and 7 PM.

Finally, the project's conformance to the County of San Diego General Plan (Noise Element, Policy 4b and Ramona Community Plan) and County of San Diego Noise Ordinance (Section 36.404 and 36.409) ensures the project will not create cumulatively considerable noise impacts, because the project will not exceed the local noise standards for noise sensitive areas; and the project will not exceed the applicable noise level limits at the property line or construction noise limits, derived from State regulation to address human health and quality of life concerns. Therefore, the project will not contribute to a cumulatively considerable exposure of persons or generation of noise levels in excess of standards established in the local general plan, noise ordinance, and applicable standards of other agencies.

b) Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes residences where low ambient vibration is essential for interior operation and/or sleeping conditions. However, the facilities are typically setback more than 50 feet from any County Circulation Element

(CE) roadway using rubber-tired vehicles with projected groundborne noise or vibration contours of 38 VdB or less; any property line for parcels zoned industrial or extractive use; or any permitted extractive uses. A setback of 50 feet from the roadway centerline for heavy-duty truck activities would insure that these proposed uses or operations do not have any chance of being impacted significantly by groundborne vibration or groundborne noise levels (Harris, Miller Miller and Hanson Inc., *Transit Noise and Vibration Impact Assessment* 1995, Rudy Hendriks, *Transportation Related Earthborne Vibrations* 2002). This setback insures that this project site will not be affected by any future projects that may support sources of groundborne vibration or groundborne noise related to the adjacent roadways.

Also, the project does not propose any major, new or expanded infrastructure such as mass transit, highways or major roadways or intensive extractive industry that could generate excessive groundborne vibration or groundborne noise levels and impact vibration sensitive uses in the surrounding area.

Therefore, the project will not expose persons to or generate excessive groundborne vibration or groundborne noise levels on a project or cumulative level.

c) A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project involves the following permanent noise sources that may increase the ambient noise level: Vehicle traffic on nearby roadways and activities associate with detached residential condominiums. As indicated in the response listed under Section XI Noise, Question a., the project would not expose existing or planned noise sensitive areas in the vicinity to a substantial permanent increase in noise levels that exceed the allowable limits of the County of San Diego General Plan, County of San Diego Noise Ordinance, and other applicable local, State, and Federal noise control. Also, the project is not expected to expose existing or planned noise sensitive areas to noise 10 dB CNEL over existing ambient noise levels based on review of the project by County staff. Studies completed by the Organization of Industry Standards (ISO 362; ISO 1996 1-3; ISO 3095; and ISO 3740-3747) state an increase of 10 dB is perceived as twice as loud and is perceived as a significant increase in the ambient noise level.

The project will not result in cumulatively noise impacts because a list of past, present and future projects within in the vicinity were evaluated. It was determined that the project in combination with a list of past, present and future project would not expose existing or planned noise sensitive areas to noise 10 dB CNEL over existing ambient noise levels. Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered.

- d) A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The detached condominium project was also evaluated in regards to construction equipment activities. The project is subject to the construction equipment section within the County Noise Ordinance and must comply with the property line construction equipment section of 75 dBA at the property line. The operation of construction equipment is considered temporary and the project proposes all mass grading to be conducted in one phase. Completion of mass grading is anticipated to be completed in one month. Additionally, the project does not propose any impulsive type of construction equipment. Construction noise associated with the project will be less than significant and demonstrates compliance with the County Noise Ordinance construction equipment section. Construction operations will occur only during permitted hours of operation pursuant to Section 36.409. Also, it is not anticipated that the project will operate construction equipment in excess of an average sound level of 75dB between the hours of 7 AM and 7 PM. Therefore, the project would not result in a substantial temporary or periodic increase in existing ambient noise levels in the project vicinity.

- e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project is located within a Comprehensive Land Use Plan (CLUP) for airports or within 2 miles of a public airport or public use airport for the Ramona Airport. However, the project implementation is not expected to expose people residing or working in the project area to excessive noise levels in excess of the CNEL 60 dB(A). This is based on staff's review of Ramona Airport Land Use Compatibility Plan, Figure Compatibility Policy Map: Noise and review by County Noise Specialist Emmet Aquino on June 10, 2009. The location of the project is outside of the CNEL 60 dB(A) contours for the airport **and/or** the CLUP.

In addition, based on the list of past, present and future projects there are no new or expanded public airports projects in the vicinity that may extend the boundaries of the CNEL 60 dB noise contour or CLUP. Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered. Therefore, the project will not expose people residing or working in the project area to excessive airport-related noise on a project or cumulative level.

- f) For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project is not located within a one-mile vicinity of a private airstrip; therefore, the project will not expose people residing or working in the project area to excessive airport-related noise levels.

XII. POPULATION AND HOUSING -- Would the project:

- a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The proposed project will not induce substantial population growth in an area because the project does not propose any physical or regulatory change that would remove a restriction to or encourage population growth in an area including, but limited to the following: new or extended infrastructure or public facilities; new commercial or industrial facilities; large-scale residential development; accelerated conversion of homes to commercial or multi-family use; or regulatory changes including General Plan amendments, specific plan amendments, zone reclassifications, sewer or water annexations; or LAFCO annexation actions.

- b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
|---|---|

- ☐ Less Than Significant With Mitigation Incorporated ☒ No Impact

Discussion/Explanation:

No Impact: The proposed project will not displace existing housing since the site is currently vacant. The addition of 14 dwelling units will yield a net gain of available housing.

- c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?

- ☐ Potentially Significant Impact ☐ Less than Significant Impact
☐ Less Than Significant With Mitigation Incorporated ☒ No Impact

Discussion/Explanation:

No Impact: The proposed project will not displace a substantial number of people since the site is currently vacant.

XIII. PUBLIC SERVICES

- a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance service ratios, response times or other performance objectives for any of the public services:

- i. Fire protection?
- ii. Police protection?
- iii. Schools?
- iv. Parks?
- v. Other public facilities?

- ☐ Potentially Significant Impact ☐ Less than Significant Impact
☐ Less Than Significant With Mitigation Incorporated ☒ No Impact

Discussion/Explanation:

No Impact: Based on the service availability forms received for the project, the proposed project will not result in the need for significantly altered services or facilities. Service availability forms have been provided which indicate existing services are available to the project from the following agencies/districts: Ramona Fire Department, Ramona Municipal Water District, Ramona Unified School District. The project does not

involve the construction of new or physically altered governmental facilities including but not limited to fire protection facilities, sheriff facilities, schools, or parks in order to maintain acceptable service ratios, response times or other performance service ratios or objectives for any public services. Therefore, the project will not have an adverse physical effect on the environment because the project does not require new or significantly altered services or facilities to be constructed.

XIV. RECREATION

- a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project involves a residential subdivision that will increase the use of existing neighborhood and regional parks or other recreational facilities. To avoid substantial physical deterioration of local recreation facilities the project will be required to pay fees or dedicate land for local parks to the County pursuant to the Park Land Dedication Ordinance (PLDO). The Park Land Dedication Ordinance (PLDO) is the mechanism that enables the funding or dedication of local parkland in the County. The PLDO establishes several methods by which developers may satisfy their park requirements. Options include the payment of park fees, the dedication of a public park, the provision of private recreational facilities, or a combination of these methods. PLDO funds must be used for the acquisition, planning, and development of local parkland and recreation facilities. Local parks are intended to serve the recreational needs of the communities in which they are located. The proposed project opted to pay fees. Therefore, the project meets the requirements set forth by the PLDO for adequate parkland dedication and thereby reducing impacts, including cumulative impacts to local recreational facilities. The project will not result in significant cumulative impacts, because all past, present and future residential projects are required to comply with the requirements of PLDO. Refer to XVII. Mandatory Findings of Significance for a comprehensive list of the projects considered.

With regard to regional recreational facilities, there are over 21,765 acres of regional parkland owned by the County, which exceeds the General Plan standard of 15 acres per 1,000 population. In addition, there are over one million acres of publicly owned land in San Diego County dedicated to parks or open space including Federal lands, State Parks, special districts, and regional river parks. Due to the extensive acreage of existing publicly owned lands that can be used for recreation, the project will not result in substantial physical deterioration of regional recreational facilities or accelerate the deterioration of regional parkland. Moreover, the project will not result in a cumulatively considerable deterioration or accelerated deterioration of regional recreation facilities

because even with all past, present and future residential projects a significant amount of regional recreational facilities will be available to County residents.

- b) Does the project include recreational facilities or require the construction or expansion of recreational facilities, which might have an adverse physical effect on the environment?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project does not include recreational facilities or require the construction or expansion of recreational facilities. Therefore, the construction or expansion of recreational facilities cannot have an adverse physical effect on the environment.

XV. TRANSPORTATION/TRAFFIC -- Would the project:

- a) Cause an increase in traffic which is substantial in relation to the existing traffic load and capacity of the street system (i.e., result in a substantial increase in either the number of vehicle trips, the volume to capacity ratio on roads, or congestion at intersections)?

- | | |
|--|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input checked="" type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant With Mitigation Incorporated:

DIRECT IMPACTS:

The project will not have any significant direct traffic impacts that require mitigation. A Traffic Impact Analysis (TIA), prepared by Katz, Okitsu, and Associates, received August 25, 2009 has been completed. The TIA concluded that no direct impacts would occur on the project's two main SR 67 intersections. Since sections of SR 67 segments and intersections are already at LOS E or F, the project has only cumulative traffic impacts that require mitigation.

CUMULATIVE IMPACTS:

The County of San Diego has developed an overall programmatic solution that addresses existing and projected future road deficiencies in the unincorporated portion of San Diego County. This Program includes the adoption of a Transportation Impact Fee (TIF) Program to fund improvements to roadways necessary to mitigate potential cumulative impacts caused by traffic from future development. Based on SANDAG regional growth and land use forecasts, the SANDAG Regional Transportation Model was utilized to analyze projected build-out (year 2030) development conditions on the existing circulation element roadway network throughout the unincorporated area of the County. Based on the results of the traffic modeling, funding necessary to construct transportation facilities that will mitigate cumulative impacts from new development was identified. Existing roadway deficiencies will be corrected through improvement projects funded by other public funding sources, such as TransNet, gas tax, and grants. Potential cumulative impacts to the region's freeways have been addressed in SANDAG's Regional Transportation Plan (RTP). This plan, which considers freeway buildout over the next 30 years, will use funds from TransNet, State, and Federal funding to improve freeways to projected level of service objectives in the RTP.

The proposed project generates 112 ADT. These trips will be distributed on circulation element roadways in the County that were analyzed by the TIF Program, some of which currently or are projected to operate at inadequate levels of service. These project trips therefore contribute to a potential significant cumulative impact and mitigation is required. The potential growth represented by this project was included in the growth projections upon which the TIF Program is based. Therefore, payment of the TIF, which will be required at issuance of building permits, in combination with other components of the program described above, will mitigate potential cumulative traffic impacts to less than significant.

- b) Exceed, either individually or cumulatively, a level of service standard established by the County congestion management agency and/or as identified by the County of San Diego Transportation Impact Fee Program for designated roads or highways?

- | | |
|--|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input checked="" type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant With Mitigation Incorporated:

DIRECT IMPACTS:

The project will not have any significant direct traffic impacts that require mitigation. A Traffic Impact Analysis (TIA), prepared by Katz, Okitsu, and Associates, received August 25, 2009 has been completed. The TIA concluded that no direct impacts would occur on the project's two main SR 67 intersections. Since sections of SR 67 segments

and intersections are already at LOS E or F, the project has only cumulative traffic impacts that require mitigation.

CUMULATIVE IMPACTS:

The County of San Diego has developed an overall programmatic solution that addresses existing and projected future road deficiencies in the unincorporated portion of San Diego County. This Program includes the adoption of a Transportation Impact Fee (TIF) Program to fund improvements to roadways necessary to mitigate potential cumulative impacts caused by traffic from future development. Based on SANDAG regional growth and land use forecasts, the SANDAG Regional Transportation Model was utilized to analyze projected build-out (year 2030) development conditions on the existing circulation element roadway network throughout the unincorporated area of the County. Based on the results of the traffic modeling, funding necessary to construct transportation facilities that will mitigate cumulative impacts from new development was identified. Existing roadway deficiencies will be corrected through improvement projects funded by other public funding sources, such as TransNet, gas tax, and grants. Potential cumulative impacts to the region's freeways have been addressed in SANDAG's Regional Transportation Plan (RTP). This plan, which considers freeway buildout over the next 30 years, will use funds from TransNet, State, and Federal funding to improve freeways to projected level of service objectives in the RTP.

The proposed project generates 112 ADT. These trips will be distributed on circulation element roadways in the County that were analyzed by the TIF Program, some of which currently or are projected to operate at inadequate levels of service. These project trips therefore contribute to a potential significant cumulative impact and mitigation is required. The potential growth represented by this project was included in the growth projections upon which the TIF Program is based. Therefore, payment of the TIF, which will be required at issuance of building permits, in combination with other components of the program described above, will mitigate potential cumulative traffic impacts to less than significant.

- c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant: The main compatibility concerns for the protection of airport airspace are related to airspace obstructions (building height, antennas, etc.) and hazards to flight (wildlife attractants, distracting lighting or glare, etc.). The proposed project is located within the Airport Influence Area of the Ramona Airport. The project proposes 14 detached townhouses, and is located within Airport Safety Zone 4 of the Ramona Airport Land Use Compatibility Plan (ALUCP). The project was reviewed by

Tim Taylor, DPLU airport hazard specialist, and was determined not to result in a change in air traffic patterns for the following reasons:

- The proposed land uses have been determined to be conditionally consistent with the allowable land uses identified for Airport Safety Zone 4 within the ALUCP by the San Diego County Regional Airport Authority. Therefore, the project would not result in a change in air traffic patterns because the allowable land uses within airport safety zones are created for the purpose of ensuring ongoing airport safety, including maintenance of air traffic patterns.
- The project complies with the Federal Aviation Administration (FAA) Runway Approach Protection Standards (Federal Aviation Regulations, Part 77 – Objects Affecting Navigable Airspace). See section VII.d. Hazards and Hazardous Materials.

Therefore, the proposed project will not have a significant impact on air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks.

d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The proposed project will not significantly alter traffic safety on Pala, La Brea, and Roberson Streets. Safe and adequate sight distance shall be required at all driveways and intersections to the satisfaction of the Director of the Department of Public Works. All road improvements will be constructed according to the County of San Diego Public and Private Road Standards. The proposed project will not place incompatible uses (e.g., farm equipment) on existing roadways. Therefore, the proposed project will not significantly increase hazards due to design features or incompatible uses.

e) Result in inadequate emergency access?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant: The proposed project will not result in inadequate emergency access. The Ramona Fire Department has reviewed the proposed project and

associated emergency access roadways and has determined that there is adequate emergency fire access proposed. Additionally, roads used will be required to be improved to County standards.

f) Result in inadequate parking capacity?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The Zoning Ordinance Section 6758 Parking Schedule requires two onsite parking spaces for each dwelling unit with three bedrooms or more. The proposed lots have sufficient area to provide at least two onsite parking spaces consistent with the Zoning Ordinance. In addition, one guest parking space for every five units is required under the County's Zoning Ordinance and this project complies with this requirement by proposing two additional guest parking spaces. According to the parking schedule, one handicapped parking space is required for 40 or less total required spaces.

g) Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant: The project does not propose any hazards or barriers for pedestrians or bicyclists, since no hazards or barriers are proposed. Any required improvements will be constructed to maintain existing conditions as it relates to pedestrians and bicyclists.

XVI. UTILITIES AND SERVICE SYSTEMS -- Would the project:

a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project proposes to discharge domestic waste to a community sewer system that is permitted to operate by the Regional Water Quality Control Board (RWQCB). A project facility availability form has been received from Ramona Municipal Water District that indicates the district will serve the project. The following conditions are required by the Ramona Municipal Water District: Therefore, because the project will be discharging wastewater to a RWQCB permitted community sewer system and will be required to satisfy the conditions listed above, the project is consistent with the wastewater treatment requirements of the RWQCB, including the Regional Basin Plan.

- b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?

- | | |
|---|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input checked="" type="checkbox"/> No Impact |

Discussion/Explanation:

No Impact: The project does not include new or expanded water or wastewater treatment facilities. In addition, the project does not require the construction or expansion of water or wastewater treatment facilities. Based on the service availability forms received, the project will not require construction of new or expanded water or wastewater treatment facilities. Service availability forms have been provided which indicate adequate water and wastewater treatment facilities are available to the project from the following agencies/districts: Ramona Municipal Water District. Therefore, the project will not require any construction of new or expanded facilities, which could cause significant environmental effects.

- c) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less Than Significant Impact: The project involves new storm water drainage facilities. The new facilities include vegetated filter strip, infiltration trench, subsurface reservoir bed, and media filtration. Refer to the Storm water Management Plan dated **August 1, 2009** for more information. However, as outlined in this Environmental Analysis Form Section I-XVII, the new facilities will not result in adverse physical effect

on the environment. Specifically, refer to Section VIII Hydrology and Water Quality for more information.

- d) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?

<input type="checkbox"/> Potentially Significant Impact	<input checked="" type="checkbox"/> Less than Significant Impact
<input type="checkbox"/> Less Than Significant With Mitigation Incorporated	<input type="checkbox"/> No Impact

Discussion/Explanation:

Less Than Significant Impact: The project requires water service from the Ramona Municipal Water District. A Service Availability Letter from the Ramona Municipal Water District has been provided, indicating adequate water resources and entitlements are available to serve the requested water resources. Therefore, the project will have sufficient water supplies available to serve the project.

- e) Result in a determination by the wastewater treatment provider, which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

<input type="checkbox"/> Potentially Significant Impact	<input checked="" type="checkbox"/> Less than Significant Impact
<input type="checkbox"/> Less Than Significant With Mitigation Incorporated	<input type="checkbox"/> No Impact

Discussion/Explanation:

Less Than Significant Impact: The project requires wastewater service from the Ramona Municipal Water District. A Service Availability Letter from the Ramona Municipal Water District has been provided, indicating adequate wastewater service capacity is available to serve the requested demand. Therefore, the project will not interfere with any wastewater treatment provider's service capacity.

- f) Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?

<input type="checkbox"/> Potentially Significant Impact	<input checked="" type="checkbox"/> Less than Significant Impact
<input type="checkbox"/> Less Than Significant With Mitigation Incorporated	<input type="checkbox"/> No Impact

Discussion/Explanation:

Less Than Significant Impact: Implementation of the project will generate solid waste. All solid waste facilities, including landfills require solid waste facility permits to operate. In San Diego County, the County Department of Environmental Health, Local

Enforcement Agency issues solid waste facility permits with concurrence from the California Integrated Waste Management Board (CIWMB) under the authority of the Public Resources Code (Sections 44001-44018) and California Code of Regulations Title 27, Division 2, Subdivision 1, Chapter 4 (Section 21440et seq.). There are five, permitted active landfills in San Diego County with remaining capacity. Therefore, there is sufficient existing permitted solid waste capacity to accommodate the project's solid waste disposal needs.

g) Comply with federal, state, and local statutes and regulations related to solid waste?

- | | |
|---|--|
| <input type="checkbox"/> Potentially Significant Impact | <input checked="" type="checkbox"/> Less than Significant Impact |
| <input type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Less than Significant Impact: Implementation of the project will generate solid waste. All solid waste facilities, including landfills require solid waste facility permits to operate. In San Diego County, the County Department of Environmental Health, Local Enforcement Agency issues solid waste facility permits with concurrence from the California Integrated Waste Management Board (CIWMB) under the authority of the Public Resources Code (Sections 44001-44018) and California Code of Regulations Title 27, Division 2, Subdivision 1, Chapter 4 (Section 21440et seq.). The project will deposit all solid waste at a permitted solid waste facility and therefore, will comply with Federal, State, and local statutes and regulations related to solid waste.

XVII. MANDATORY FINDINGS OF SIGNIFICANCE:

a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?

- | | |
|--|---|
| <input type="checkbox"/> Potentially Significant Impact | <input type="checkbox"/> Less than Significant Impact |
| <input checked="" type="checkbox"/> Less Than Significant With Mitigation Incorporated | <input type="checkbox"/> No Impact |

Discussion/Explanation:

Per the instructions for evaluating environmental impacts in this Initial Study, the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of

the major periods of California history or prehistory were considered in the response to each question in sections IV and V of this form. In addition to project specific impacts, this evaluation considered the projects potential for significant cumulative effects. Biological resources that have been evaluated as significant would be potentially impacted by the project. However, mitigation has been included that clearly reduces these effects to a level below significance. This mitigation includes offsite acquisition of 0.51-acre of native or non-native grassland. As a result of this evaluation, there is no substantial evidence that, after mitigation, significant effects associated with this project would result. Therefore, this project has been determined not to meet this Mandatory Finding of Significance.

- b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?

- ☐ Potentially Significant Impact
 ☐ Less than Significant Impact
☒ Less Than Significant With Mitigation Incorporated
 ☐ No Impact

Discussion/Explanation:

The following list of past, present and future projects were considered and evaluated as a part of this Initial Study:

PROJECT NAME	PERMIT/MAP NUMBER
Mustafa TPM	TPM 20811
Giffen TPM	TPM 20826
Cummings Ranch	TM 5344
Vengler TPM	TPM 20348
Elliot TM	TM 5302
Ramona Village Condo Conversion	TM 5483
Herold 3 Lots	TPM 20919
Herold Development	TPM 20522
Bill Herold TPM	TPM 20463
Rakos 4 Lot	TPM 20442
Hales TPM	TPM 20198
Ledesma TPM	TPM 20760
Quisenberry 10-Lot	TM 5124
Meadow Builders	TM 5311
Sunset Vista	TM 5257
Zeigler 2 Lots	TPM 21082
Kearney	TM 5237
Herold, Ashley Road	TPM 20703
Agha 2-Lots	TPM 21043

Humphy's	TPM 20656
Quisenberry TPM	TPM 20437
Herold	TPM 20679
F Street Subdivision	TM 5537

Per the instructions for evaluating environmental impacts in this Initial Study, the potential for adverse cumulative effects were considered in the response to each question in sections I through XVI of this form. In addition to project specific impacts, this evaluation considered the projects potential for incremental effects that are cumulatively considerable. As a result of this evaluation, there were determined to be potentially significant cumulative effects related to biology and transportation. However, mitigation has been included that clearly reduces these cumulative effects to a level below significance. This mitigation includes 0.51-acre of native or non-native grassland habitat acquisition, and a traffic impact fee. As a result of this evaluation, there is no substantial evidence that, after mitigation, there are cumulative effects associated with this project. Therefore, this project has been determined not to meet this Mandatory Finding of Significance.

- c) Does the project have environmental effects, which will cause substantial adverse effects on human beings, either directly or indirectly?

- ☐ Potentially Significant Impact
 ☐ Less than Significant Impact
☒ Less Than Significant With Mitigation Incorporated
 ☐ No Impact

Discussion/Explanation:

In the evaluation of environmental impacts in this Initial Study, the potential for adverse direct or indirect impacts to human beings were considered in the response to certain questions in sections I. Aesthetics, III. Air Quality, VI. Geology and Soils, VII. Hazards and Hazardous Materials, VIII Hydrology and Water Quality XI. Noise, XII. Population and Housing, and XV. Transportation and Traffic. As a result of this evaluation, there were determined to be potentially significant effects to human beings related to transportation. However, mitigation has been included that clearly reduces these effects to a level below significance. This mitigation includes a traffic impact fee. As a result of this evaluation, there is no substantial evidence that, after mitigation, there are adverse effects to human beings associated with this project. Therefore, this project has been determined not to meet this Mandatory Finding of Significance.

XVIII. REFERENCES USED IN THE COMPLETION OF THE INITIAL STUDY CHECKLIST

All references to Federal, State and local regulation are available on the Internet. For Federal regulation refer to <http://www4.law.cornell.edu/uscode/>. For State regulation refer to www.leginfo.ca.gov. For County regulation refer to www.amlegal.com. All other references are available upon request.

Biological Resource Letter Report for the proposed 1.82-acre Village Walk Townhomes in the Community of Ramona. January 2010. HDR Engineering

Stormwater Management Plan for TM 5535. August 1, 2009. Tri-Dimensional Engineering.

An Issue Traffic Impact Study for Village Walk Townhomes. July 20, 2009. Katz, Okitzu, and Associates.

Hydrology Study - Village Walk Townhomes. January 20, 2010. Tri-Dimensional Engineering.

Short Form Fire Protection Plan for Village Walk Townhomes. November 29, 2007. RC Biological Consulting.

Results of Biological Resources Assessment for the Ramona Gardens Apartments project located in the City of Ramona, San Diego County, California. Impact Sciences. October 29, 1998.

A Biological Resources Survey Report For The Ramona Gardens Project, S98-042 and S98-043, WN 5235 County of San Diego. Vincent N. Scheidt, January 2000.

Results of the General and Focused Biological Surveys of Ramona Parcels 282-130-05, 12, 17, and 18, Ramona Township, San Diego County, California. Ecological Ventures. June 7, 2004

Ramona Vernal Pool Conservation Study, Ramona California. TAIC and EDAW. January 2005.

AESTHETICS

California Street and Highways Code [California Street and Highways Code, Section 260-283. (<http://www.leginfo.ca.gov/>)

California Scenic Highway Program, California Streets and Highways Code, Section 260-283. (<http://www.dot.ca.gov/hq/LandArch/scenic/scpr.htm>)

County of San Diego, Department of Planning and Land Use. The Zoning Ordinance of San Diego County. Sections 5200-5299; 5700-5799; 5900-5910, 6322-6326. (www.co.san-diego.ca.us)

County of San Diego, Board Policy I-73: Hillside Development Policy. (www.co.san-diego.ca.us)

County of San Diego, Board Policy I-104: Policy and Procedures for Preparation of Community Design Guidelines, Section 396.10 of the County Administrative Code and Section 5750 et seq. of the County Zoning Ordinance. (www.co.san-diego.ca.us)

County of San Diego, General Plan, Scenic Highway Element VI and Scenic Highway Program. (ceres.ca.gov)

County of San Diego Light Pollution Code, Title 5, Division 9 (Sections 59.101-59.115 of the County Code of Regulatory Ordinances) as added by Ordinance No 6900, effective January 18, 1985, and amended July 17, 1986 by Ordinance No. 7155. (www.amlegal.com)

County of San Diego Wireless Communications Ordinance [San Diego County Code of Regulatory Ordinances. (www.amlegal.com)

Design Review Guidelines for the Communities of San Diego County. (Alpine, Bonsall, Fallbrook, Julian, Lakeside, Ramona, Spring Valley, Sweetwater, Valley Center).

Federal Communications Commission, Telecommunications Act of 1996 [Telecommunications Act of 1996, Pub. LA. No. 104-104, 110 Stat. 56 (1996). (<http://www.fcc.gov/Reports/tcom1996.txt>)

Institution of Lighting Engineers, Guidance Notes for the Reduction of Light Pollution, Warwickshire, UK, 2000 (<http://www.dark-skies.org/ile-gd-e.htm>)

International Light Inc., Light Measurement Handbook, 1997. (www.intl-light.com)

Rensselaer Polytechnic Institute, Lighting Research Center, National Lighting Product Information Program (NLPPI), Lighting Answers, Volume 7, Issue 2, March 2003. (www.lrc.rpi.edu)

US Census Bureau, Census 2000, Urbanized Area Outline Map, San Diego, CA. (<http://www.census.gov/geo/www/maps/ua2kmaps.htm>)

US Department of the Interior, Bureau of Land Management (BLM) modified Visual Management System. (www.blm.gov)

US Department of Transportation, Federal Highway Administration (FHWA) Visual Impact Assessment for Highway Projects.

US Department of Transportation, National Highway System Act of 1995 [Title III, Section 304. Design Criteria for the National Highway System. (<http://www.fhwa.dot.gov/legisregs/nhsdatoc.html>)

AGRICULTURE RESOURCES

California Department of Conservation, Farmland Mapping and Monitoring Program, "A Guide to the Farmland Mapping and Monitoring Program," November 1994. (www.consrv.ca.gov)

California Department of Conservation, Office of Land Conversion, "California Agricultural Land Evaluation and Site Assessment Model Instruction Manual," 1997. (www.consrv.ca.gov)

California Farmland Conservancy Program, 1996. (www.consrv.ca.gov)

California Land Conservation (Williamson) Act, 1965. (www.ceres.ca.gov, www.consrv.ca.gov)

California Right to Farm Act, as amended 1996. (www.qp.gov.bc.ca)

County of San Diego Agricultural Enterprises and Consumer Information Ordinance, 1994, Title 6, Division 3, Ch. 4. Sections 63.401-63.408. (www.amlegal.com)

County of San Diego, Department of Agriculture, Weights and Measures, "2002 Crop Statistics and Annual Report," 2002. (www.sdcounty.ca.gov)

United States Department of Agriculture, Natural Resource Conservation Service LESA System. (www.nrcs.usda.gov, www.swcs.org).

United States Department of Agriculture, Soil Survey for the San Diego Area, California. 1973. (soils.usda.gov)

AIR QUALITY

CEQA Air Quality Analysis Guidance Handbook, South Coast Air Quality Management District, Revised November 1993. (www.aqmd.gov)

County of San Diego Air Pollution Control District's Rules and Regulations, updated August 2003. (www.co.san-diego.ca.us)

Federal Clean Air Act US Code; Title 42; Chapter 85 Subchapter 1. (www4.law.cornell.edu)

BIOLOGY

California Department of Fish and Game (CDFG). Southern California Coastal Sage Scrub Natural Community Conservation Planning Process Guidelines. CDFG and California Resources Agency, Sacramento, California. 1993. (www.dfg.ca.gov)

County of San Diego, An Ordinance Amending the San Diego County Code to Establish a Process for Issuance of the Coastal Sage Scrub Habitat Loss Permits and Declaring the Urgency Thereof to Take Effect Immediately, Ordinance No. 8365. 1994, Title 8, Div 6, Ch. 1. Sections 86.101-86.105, 87.202.2. (www.amlegal.com)

County of San Diego, Biological Mitigation Ordinance, Ord. Nos. 8845, 9246, 1998 (new series). (www.co.san-diego.ca.us)

County of San Diego, Implementing Agreement by and between United States Fish and Wildlife Service, California Department of Fish and Game and County of San Diego. County of San Diego, Multiple Species Conservation Program, 1998.

County of San Diego, Multiple Species Conservation Program, County of San Diego Subarea Plan, 1997.

Holland, R.R. Preliminary Descriptions of the Terrestrial Natural Communities of California. State of California, Resources Agency, Department of Fish and Game, Sacramento, California, 1986.

Memorandum of Understanding [Agreement Between United States Fish and Wildlife Service (USFWS), California Department of Fish and Game (CDFG), California Department of Forestry and Fire Protection (CDF), San Diego County Fire Chief's Association and the Fire District's Association of San Diego County.

Stanislaus Audubon Society, Inc. v County of Stanislaus (5th Dist. 1995) 33 Cal.App.4th 144, 155-159 [39 Cal. Rptr.2d 54]. (www.ceres.ca.gov)

U.S. Army Corps of Engineers Environmental Laboratory. Corps of Engineers Wetlands Delineation Manual. U.S. Army Corps of Engineers, Wetlands Research Program Technical Report Y-87-1. 1987. (<http://www.wes.army.mil/>)

U.S. Environmental Protection Agency. America's wetlands: our vital link between land and water. Office of Water, Office of Wetlands, Oceans and Watersheds. EPA843-K-95-001. 1995b. (www.epa.gov)

U.S. Fish and Wildlife Service and National Marine Fisheries Service. Habitat Conservation Planning Handbook. Department of Interior, Washington, D.C. 1996. (endangered.fws.gov)

U.S. Fish and Wildlife Service and National Marine Fisheries Service. Consultation Handbook: Procedures for Conducting Consultation and Conference Activities Under Section 7 of the Endangered Species Act. Department of Interior, Washington, D.C. 1998. (endangered.fws.gov)

U.S. Fish and Wildlife Service. Environmental Assessment and Land Protection Plan for the Vernal Pools Stewardship Project. Portland, Oregon. 1997.

U.S. Fish and Wildlife Service. Vernal Pools of Southern California Recovery Plan. U.S. Department of Interior, Fish and Wildlife Service, Region One, Portland, Oregon, 1998. (ecos.fws.gov)

U.S. Fish and Wildlife Service. Birds of conservation concern 2002. Division of Migratory. 2002. (migratorybirds.fws.gov)

CULTURAL RESOURCES

California Health & Safety Code. §18950-18961, State Historic Building Code. (www.leginfo.ca.gov)

California Health & Safety Code. §5020-5029, Historical Resources. (www.leginfo.ca.gov)

California Health & Safety Code. §7050.5, Human Remains. (www.leginfo.ca.gov)

California Native American Graves Protection and Repatriation Act, (AB 978), 2001. (www.leginfo.ca.gov)

California Public Resources Code §5024.1, Register of Historical Resources. (www.leginfo.ca.gov)

California Public Resources Code. §5031-5033, State Landmarks. (www.leginfo.ca.gov)

California Public Resources Code. §5097-5097.6, Archaeological, Paleontological, and Historic Sites. (www.leginfo.ca.gov)

California Public Resources Code. §5097.9-5097.991, Native American Heritage. (www.leginfo.ca.gov)

City of San Diego. Paleontological Guidelines. (revised) August 1998.

County of San Diego, Local Register of Historical Resources (Ordinance 9493), 2002. (www.co.san-diego.ca.us)

Demere, Thomas A., and Stephen L. Walsh. Paleontological Resources San Diego County. Department of Paleontology, San Diego Natural History Museum. 1994.

Moore, Ellen J. Fossil Mollusks of San Diego County. San Diego Society of Natural history. Occasional; Paper 15. 1968.

U.S. Code including: American Antiquities Act (16 USC §431-433) 1906. Historic Sites, Buildings, and Antiquities Act (16 USC §461-467), 1935. Reservoir Salvage Act (16 USC §469-469c) 1960. Department of Transportation Act (49 USC §303) 1966. National Historic Preservation Act (16 USC §470 et seq.) 1966. National Environmental Policy Act (42 USC §4321) 1969. Coastal Zone Management Act (16 USC §1451) 1972. National Marine Sanctuaries Act (16 USC §1431) 1972. Archaeological and Historical Preservation Act (16 USC §469-469c) 1974. Federal Land Policy and Management Act (43 USC §35) 1976. American Indian Religious Freedom Act (42 USC §1996 and 1996a) 1978. Archaeological Resources Protection Act (16 USC §470aa-mm) 1979. Native American Graves Protection and Repatriation Act (25 USC §3001-3013) 1990. Intermodal Surface Transportation Efficiency Act (23 USC §101, 109) 1991. American Battlefield Protection Act (16 USC 469k) 1996. (www4.law.cornell.edu)

GEOLOGY & SOILS

California Department of Conservation, Division of Mines and Geology, California Alquist-Priolo Earthquake Fault Zoning Act, Special Publication 42, Revised 1997. (www.consrv.ca.gov)

California Department of Conservation, Division of Mines and Geology, Fault-Rupture Hazard Zones in California, Special Publication 42, revised 1997. (www.consrv.ca.gov)

California Department of Conservation, Division of Mines and Geology, Special Publication 117, Guidelines for Evaluating and Mitigating Seismic Hazards in California, 1997. (www.consrv.ca.gov)

County of San Diego Code of Regulatory Ordinances Title 6, Division 8, Chapter 3, Septic Tanks and Seepage Pits. (www.amlegal.com)

County of San Diego Department of Environmental Health, Land and Water Quality Division, February 2002. On-site Wastewater Systems (Septic Systems): Permitting Process and Design Criteria. (www.sdcountry.ca.gov)

County of San Diego Natural Resource Inventory, Section 3, Geology.

United States Department of Agriculture, Soil Survey for the San Diego Area, California. 1973. (soils.usda.gov)

HAZARDS & HAZARDOUS MATERIALS

American Planning Association, Zoning News, "Saving Homes from Wildfires: Regulating the Home Ignition Zone," May 2001.

California Building Code (CBC), Seismic Requirements, Chapter 16 Section 162. (www.buildersbook.com)

California Education Code, Section 17215 and 81033. (www.leginfo.ca.gov)

California Government Code. § 8585-8589, Emergency Services Act. (www.leginfo.ca.gov)

California Hazardous Waste and Substances Site List. April 1998. (www.dtsc.ca.gov)

California Health & Safety Code Chapter 6.95 and §25117 and §25316. (www.leginfo.ca.gov)

California Health & Safety Code § 2000-2067. (www.leginfo.ca.gov)

California Health & Safety Code. §17922.2. Hazardous Buildings. (www.leginfo.ca.gov)

California Public Utilities Code, SDCRAA. Public Utilities Code, Division 17, Sections 170000-170084. (www.leginfo.ca.gov)

California Resources Agency, "OES Dam Failure Inundation Mapping and Emergency Procedures Program", 1996. (ceres.ca.gov)

County of San Diego, Consolidated Fire Code Health and Safety Code §13869.7, including Ordinances of the 17 Fire Protection Districts as Ratified by the San Diego County Board of Supervisors, First Edition, October 17, 2001 and Amendments to the Fire Code portion of the State Building Standards Code, 1998 Edition.

County of San Diego, Department of Environmental Health Community Health Division Vector Surveillance and

Control. Annual Report for Calendar Year 2002. March 2003. (www.sdcountry.ca.gov)

County of San Diego, Department of Environmental Health, Hazardous Materials Division. California Accidental Release Prevention Program (CalARP) Guidelines. (<http://www.sdcountry.ca.gov>, www.oes.ca.gov)

County of San Diego, Department of Environmental Health, Hazardous Materials Division. Hazardous Materials Business Plan Guidelines. (www.sdcountry.ca.gov)

County of San Diego Code of Regulatory Ordinances, Title 3, Div 5, CH. 3, Section 35.39100.030, Wildland/Urban Interface Ordinance, Ord. No.9111, 2000. (www.amlegal.com)

Robert T. Stafford Disaster Relief and Emergency Assistance Act as amended October 30, 2000, US Code, Title 42, Chapter 68, 5121, et seq. (www4.law.cornell.edu)

Unified San Diego County Emergency Services Organization Operational Area Emergency Plan, March 2000.

Unified San Diego County Emergency Services Organization Operational Area Energy Shortage Response Plan, June 1995.

Uniform Building Code. (www.buildersbook.com)

Uniform Fire Code 1997 edition published by the Western Fire Chiefs Association and the International Conference of Building Officials, and the National Fire Protection Association Standards 13 & 13-D, 1996 Edition, and 13-R, 1996 Edition. (www.buildersbook.com)

HYDROLOGY & WATER QUALITY

American Planning Association, Planning Advisory Service Report Number 476 Non-point Source Pollution: A Handbook for Local Government

California Department of Water Resources, California Water Plan Update. Sacramento: Dept. of Water Resources State of California. 1998. (rubicon.water.ca.gov)

California Department of Water Resources, California's Groundwater Update 2003 Bulletin 118, April 2003. (www.groundwater.water.ca.gov)

California Department of Water Resources, Water Facts, No. 8, August 2000. (www.dpla2.water.ca.gov)

California Disaster Assistance Act. Government Code, § 8680-8692. (www.leginfo.ca.gov)

California State Water Resources Control Board, NPDES General Permit Nos. CAS000001 INDUSTRIAL ACTIVITIES (97-03-DWQ) and CAS000002 Construction Activities (No. 99-08-DWQ) (www.swrcb.ca.gov)

California Storm Water Quality Association, California Storm Water Best Management Practice Handbooks, 2003.

California Water Code, Sections 10754, 13282, and 60000 et seq. (www.leginfo.ca.gov)

Colorado River Basin Regional Water Quality Control Board, Region 7, Water Quality Control Plan. (www.swrcb.ca.gov)

County of San Diego Regulatory Ordinance, Title 8, Division 7, Grading Ordinance. Grading, Clearing and Watercourses. (www.amlegal.com)

County of San Diego, Groundwater Ordinance. #7994. (www.sdcountry.ca.gov, <http://www.amlegal.com>.)

County of San Diego, Project Clean Water Strategic Plan, 2002. (www.projectcleanwater.org)

County of San Diego, Watershed Protection, Storm Water Management, and Discharge Control Ordinance, Ordinance Nos. 9424 and 9426. Chapter 8, Division 7, Title 6 of the San Diego County Code of Regulatory Ordinances and amendments. (www.amlegal.com)

County of San Diego. Board of Supervisors Policy I-68. Diego Proposed Projects in Flood Plains with Defined Floodways. (www.co.san-diego.ca.us)

Federal Water Pollution Control Act (Clean Water Act), 1972, Title 33, Ch.26, Sub-Ch.1. (www4.law.cornell.edu)

Freeze, Allan and Cherry, John A., Groundwater, Prentice-Hall, Inc. New Jersey, 1979.

Heath, Ralph C., Basic Ground-Water Hydrology, United States Geological Survey Water-Supply Paper; 2220, 1991.

National Flood Insurance Act of 1968. (www.fema.gov)

National Flood Insurance Reform Act of 1994. (www.fema.gov)

Porter-Cologne Water Quality Control Act, California Water Code Division 7. Water Quality. (ceres.ca.gov)

San Diego Association of Governments, Water Quality Element, Regional Growth Management Strategy, 1997. (www.sandag.org)

San Diego Regional Water Quality Control Board, NPDES Permit No. CAS0108758. (www.swrcb.ca.gov)

San Diego Regional Water Quality Control Board, Water Quality Control Plan for the San Diego Basin. (www.swrcb.ca.gov)

LAND USE & PLANNING

California Department of Conservation Division of Mines and Geology, Open File Report 96-04, Update of Mineral Land Classification: Aggregate Materials in the Western San Diego County Production Consumption Region, 1996. (www.consrv.ca.gov)

California Environmental Quality Act, CEQA Guidelines, 2003. (ceres.ca.gov)

California Environmental Quality Act, Public Resources Code 21000-21178; California Code of Regulations, Guidelines for Implementation of CEQA, Appendix G, Title 14, Chapter 3, §15000-15387. (www.leginfo.ca.gov)

California General Plan Glossary of Terms, 2001. (ceres.ca.gov)

California State Mining and Geology Board, SP 51, California Surface Mining and Reclamation Policies and Procedures, January 2000. (www.consrv.ca.gov)

County of San Diego Code of Regulatory Ordinances, Title 8, Zoning and Land Use Regulations. (www.amlegal.com)

County of San Diego, Board of Supervisors Policy I-84: Project Facility. (www.sdcountry.ca.gov)

County of San Diego, Board Policy I-38, as amended 1989. (www.sdcountry.ca.gov)

County of San Diego, Department of Planning and Land Use. The Zoning Ordinance of San Diego County. (www.co.san-diego.ca.us)

County of San Diego, General Plan as adopted and amended from September 29, 1971 to April 5, 2000. (ceres.ca.gov)

County of San Diego. Resource Protection Ordinance, compilation of Ord.Nos. 7968, 7739, 7685 and 7631. 1991.

Design Review Guidelines for the Communities of San Diego County.

Guide to the California Environmental Quality Act (CEQA) by Michael H. Remy, Tina A. Thomas, James G. Moore, and Whitman F. Manley, Point Arena, CA: Solano Press Books, 1999. (ceres.ca.gov)

MINERAL RESOURCES

National Environmental Policy Act, Title 42, 36.401 et. seq. 1969. (www4.law.cornell.edu)

Subdivision Map Act, 2003. (ceres.ca.gov)

U.S. Geologic Survey, Causey, J. Douglas, 1998, MAS/MILS Mineral Location Database.

U.S. Geologic Survey, Frank, David G., 1999, (MRDS) Mineral Resource Data System.

NOISE

California State Building Code, Part 2, Title 24, CCR, Appendix Chapter 3, Sound Transmission Control, 1988. . (www.buildersbook.com)

County of San Diego Code of Regulatory Ordinances, Title 3, Div 6, Chapter 4, Noise Abatement and Control, effective February 4, 1982. (www.amlegal.com)

County of San Diego General Plan, Part VIII, Noise Element, effective December 17, 1980. (ceres.ca.gov)

Federal Aviation Administration, Federal Aviation Regulations, Part 150 Airport Noise Compatibility Planning (revised January 18, 1985). (<http://www.access.gpo.gov/>)

Harris Miller Miller and Hanson Inc., *Transit Noise and Vibration Impact Assessment*, April 1995. (<http://ntl.bts.gov/data/rail05/rail05.html>)

International Standard Organization (ISO), ISO 362; ISO 1996 1-3; ISO 3095; and ISO 3740-3747. (www.iso.ch)

U.S. Department of Transportation, Federal Highway Administration, Office of Environment and Planning, Noise and Air Quality Branch. "Highway Traffic Noise Analysis and Abatement Policy and Guidance," Washington, D.C., June 1995. (<http://www.fhwa.dot.gov/>)

POPULATION & HOUSING

Housing and Community Development Act of 1974, 42 USC 5309, Title 42--The Public Health And Welfare, Chapter 69--Community Development, United States Congress, August 22, 1974. (www4.law.cornell.edu)

National Housing Act (Cranston-Gonzales), Title 12, Ch. 13. (www4.law.cornell.edu)

San Diego Association of Governments Population and Housing Estimates, November 2000. (www.sandag.org)

US Census Bureau, Census 2000. (<http://www.census.gov/>)

RECREATION

County of San Diego Code of Regulatory Ordinances, Title 8, Division 10, Chapter PLDO, §810.101 et seq. Park Lands Dedication Ordinance. (www.amlegal.com)

TRANSPORTATION/TRAFFIC

California Aeronautics Act, Public Utilities Code, Section 21001 et seq. (www.leginfo.ca.gov)

California Department of Transportation, Division of Aeronautics, California Airport Land Use Planning Handbook, January 2002.

California Department of Transportation, Environmental Program Environmental Engineering – Noise, Air Quality, and Hazardous Waste Management Office. "Traffic Noise Analysis Protocol for New Highway Construction and Reconstruction Projects," October 1998. (www.dot.ca.gov)

California Public Utilities Code, SDCRAA. Public Utilities Code, Division 17, Sections 170000-170084. (www.leginfo.ca.gov)

California Street and Highways Code. California Street and Highways Code, Section 260-283. (www.leginfo.ca.gov)

County of San Diego, Alternative Fee Schedules with Pass-By Trips Addendum to Transportation Impact Fee Reports, March 2005. (<http://www.sdcounty.ca.gov/dpw/land/pdf/TransImpactFee/attacha.pdf>)

County of San Diego Transportation Impact Fee Report. January 2005. (<http://www.sdcounty.ca.gov/dpw/permits-forms/manuals.html>)

Fallbrook & Ramona Transportation Impact Fee Report, County of San Diego, January 2005. (<http://www.sdcounty.ca.gov/dpw/permits-forms/manuals.html>)

Office of Planning, Federal Transit Administration, Transit Noise and Vibration Impact Assessment, Final Report, April 1995.

San Diego Association of Governments, 2020 Regional Transportation Plan. Prepared by the San Diego Association of Governments. (www.sandag.org)

San Diego Association of Governments, Comprehensive Land Use Plan for Borrego Valley Airport (1986), Brown Field (1995), Fallbrook Community Airpark (1991), Gillespie Field (1989), McClellan-Palomar Airport (1994). (www.sandag.org)

US Code of Federal Regulations, Federal Aviation Regulations (FAR), Objects Affecting Navigable Airspace, Title 14, Chapter 1, Part 77. (www.gpoaccess.gov)

UTILITIES & SERVICE SYSTEMS

California Code of Regulations (CCR), Title 14. Natural Resources Division, CIWMB Division 7; and Title 27, Environmental Protection Division 2, Solid Waste. (ccr.oal.ca.gov)

California Integrated Waste Management Act. Public Resources Code, Division 30, Waste Management, Sections 40000-41956. (www.leginfo.ca.gov)

County of San Diego, Board of Supervisors Policy I-78: Small Wastewater. (www.sdcounty.ca.gov)

Unified San Diego County Emergency Services Organization Annex T Emergency Water Contingencies, October 1992. (www.co.san-diego.ca.us)

United States Department of Agriculture, Natural Resource Conservation Service LESA System.

United States Department of Agriculture, Soil Survey for the San Diego Area, California. 1973.

US Census Bureau, Census 2000.

US Code of Federal Regulations, Federal Aviation Regulations (FAR), Objects Affecting Navigable Airspace, Title 14, Chapter 1, Part 77.

US Department of the Interior, Bureau of Land Management (BLM) modified Visual Management System.

US Department of Transportation, Federal Highway Administration (FHWA) Visual Impact Assessment for Highway Projects.